

VAML/MoEF&CC/006/2026-01
May 28,, 2026

O/C

To,
Deputy Director General of Forests (C), ✓
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office,
A/3, Chandrasekharapur,
Bhubaneswar, Odisha – 751023

Sub: Submission of Half-Yearly Compliance Report of Smelter & CPP of M/s. Vedanta Aluminium Metal Limited, Jharsuguda for the period from October 2025 to March 2026

Ref: 1. Environment Clearance letter No. J-11011/144/2006-IA.II (I) dated 07.03.2007
2. Environment Clearance letter No. J-13011/10/2006-IA.II (T) dated 14.03.2007
3. Environment Clearance letter No. J-11011/29/2007-IA.II (I) dated 11.06.2008
4. Environment Clearance letter No. J-11011/29/2007-IA.II (I) dated 05.05.2022

Respected Sir,

This has reference to the above subject, cited reference and as per the provision of Environment Clearance and EIA notification 2006, we are herewith submitting the half-yearly compliance status for conditions in the Environment Clearance for 2.5 LTPA Aluminium Smelter, Captive Power Plant 675 MW, expansion of Aluminium Smelter (2.5 to 16 LTPA) and Captive Power Plant (675 MW to 1350 MW), Aluminium Smelter 18 LTPA (16 to 18 LTPA) and Captive Power Plant.

We would like to draw your attention towards the fact that we are facing problem during uploading of half-yearly compliance report at Parivesh 2.0 Portal. Moreover, we are also facing problem in raising the ticket on Parivesh 2.0 Portal for the above issue (screenshot enclosed). We will upload the documents as soon as the issue will be resolved. In order to meet the stipulated timeline of submission, we are hereby submitting the half-yearly compliance reports via email and hardcopies of the Annexures will be submitted due to constraints of size of files.

Further, as already intimated and submitted that we have already applied EC transfer application from M/s. Vedanta Limited to M/s. Vedanta Aluminium Metal Limited.

Thanking You,

Yours Faithfully,

For M/s. Vedanta Aluminium Metal Limited, Jharsuguda



Dr. Amit Kumar Tyagi
Head- Environment

Copy to: 1. The Director, I.A. Division, Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110003
2. The Member Secretary, Central Pollution Control Board, "Paribesh Bhawan", CBD-Cum Office Complex, East Arjun Nagar, New Delhi-110032
3. The Member Secretary, State Pollution Control Board, Odisha, Bhubaneswar

Enclosures: As above

Vedanta Aluminium Metal Limited

Vill.: Bhurkamunda, P.O.: Kalimandir, Dist.: Jharsuguda, Odisha, India, 768202
T: +91-664 566 6000 | F: +91-664 566 6267 | Website: www.vedantaaluminium.com



REGISTERED OFFICE: Vedanta Aluminium Metal Limited, C-103, Atul Projects, Corporate Avenue New Link, Chakala MIDC, Mumbai, Maharashtra, India, 400093
CIN: U24202MH2023PLC411663 | Email: vaml.sect@vedanta.co.in

Oops! Something went wrong

Please check the URL and try again.

[Return to Login Page](#)

M/s. Vedanta Aluminium Metal Limited, Jharsuguda
Compliance Status on Environmental Clearance – Expansion of Aluminium Smelter (2.5 to 16 LTPA) and CPP (675 MW to 1350 MW) vide letter no. J-11011/29/2007-IA II (I) dated 11th June, 2008

S. No.	CONDITIONS	COMPLIANCE STATUS
SPECIFIC CONDITIONS		
i	The gaseous emissions (PM, SO ₂ , NO _x , PAH, HC, VOCs and Fluoride) from various process units shall conform to the standards prescribed by the concerned authorities from time to time. The OSPCB may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location. At no time, the emission levels shall go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. The particulate emissions from the bake oven plant shall not exceed 50 mg/Nm ³ .	The particulate & gaseous emissions from various process units are conforming to the prescribed standards. As per the notification G.S.R. 465(E), dated 11th July 2025, the Sulphur dioxide emission standards shall not be applicable to all C Category thermal power plants subject to ensuring compliance of stack height criteria. As per the criteria mentioned in the notification, we are falling under category C and stack height of our powerplants is 275m since the inception of plant. So SO ₂ standard has not applicable to our plant. In case of failure of any of the pollution control system of any unit, the respective unit will be started only after the control measures are rectified and have achieved the desired efficiency. The particulate matter emission from Bake Oven ranges between 5.0 to 6.2 mg/Nm ³ . Monitoring Report for the period of Oct-25 to Mar-26 enclosed as Annexure-2.
ii	Particulate fluoride emissions shall not be more than 0.65 mg/Nm ³ and fugitive particulate fluoride emissions from pot room shall not be more than 1.85 mg/Nm ³ .	The particulate fluoride emission ranges between 0.044 to 0.067 mg/Nm ³ . Roof monitoring system through cassette method has been installed for fugitive fluoride (gaseous and particulate) monitoring and the same is being carried out by MoEFCC approved lab and fugitive particulate fluoride emissions ranges between 0.246 to 0.687 mg/Nm ³ . Moreover, laser-based fluoride monitoring system has also been installed in pot rooms for monitoring of fugitive fluoride and online data transmitted on OSPCB server. Monitoring Report for the period of Oct-25 to Mar-26 enclosed as Annexure-2.
iii	The poly-aromatic hydrocarbons (PAH) from the carbon plant (anode bake oven) shall not exceed 2 mg/Nm ³ . The data on PAH shall be monitored quarterly and report submitted regularly to the Ministry/Regional Office at Bhubaneswar and OSPCB.	Poly-Aromatic Hydrocarbons (PAH) is being monitored in the stack of Bake Oven and is in the range of 0.22 to 0.29 mg/Nm ³ . The same is monitored regularly and report is submitted quarterly, six monthly to MoEFCC and regional office of the Ministry and monthly to the OSPCB. Monitoring Report for the period of Oct-25 to Mar-26 enclosed as Annexure-2.
iv	In-plant control measures like fume extraction and dust extraction system for controlling fugitive emissions from all the material handling/transfer points shall be provided to control dust emissions. Fugitive Fluoride	We have provided dry scrubbing system and State of the art gas collection and handling system to extract the gaseous emissions generated in the process of aluminium smelting and baking of anodes to maintain the total fluoride emissions below the stipulated standards of 0.8 kg/T of aluminium produced. Fugitive fluoride emissions from the pot room and forage fluoride in the

M/s. Vedanta Aluminium Metal Limited, Jharsuguda
 Compliance Status on Environmental Clearance – Expansion of Aluminium Smelter (2.5 to 16 LTPA) and CPP (675 MW to 1350 MW) vide letter no. J-11011/29/2007-IA II (I) dated 11th June, 2008

	emissions from the pot room and in the forage around the smelter complex shall be monitored and data submitted regularly to the Ministry's Regional Office at Bhubaneswar and OSPCB. Further dry scrubbing system to control the emissions from the pot lines shall be provided.	surrounding villages are being monitored regularly. The fluoride emissions through the fume treatment plants is being maintained below <0.3 Kg/T in case of pot rooms and <0.1 Kg/T in case of bake oven. The monitoring report is being submitted regularly to the Ministry's Regional Office and OSPCB. Monitoring Report for the period of Oct-25 to Mar-26 enclosed as Annexure-2.
v	Electrostatic precipitator (ESP) will be provided to Captive Power Plant (CPP) to control emissions below 100 mg/Nm ³ . The company shall provide bag-filters, dry scrubbing system and dust suppression system to control the all the emissions including fluoride emissions from all melting and casting units. Tar, dust and fluoride in the fumes shall be controlled in baking furnace by providing dry scrubber. The emissions shall conform to the standards prescribed by the Ministry/CPCB/SPCB whichever is more stringent.	Hybrid ESPs comprising of bag filters have been installed to maintain emission level below 50 mg/Nm ³ in CPP. Bag-filters, dry scrubbing system and dust suppression system is being provided to control the emissions including fluoride emissions from all melting and casting units. Dry scrubber with a chilling/condensing unit is being provided to control tar, dust and fluoride in the fumes in Bake Oven Plant. Monitoring Report for the period of Oct-25 to Mar-26 enclosed as Annexure-2.
vi	Fluoride consumption shall be less than 10 kg/ton of Aluminium produced as specified in the CREP guidelines.	MoEF&CC has notified revised standards dated 21.07.25 for Aluminium Smelters and this condition has been replaced by AlF ₃ consumption of 20 kg/ton of Al from the date of notification. Further, we have submitted letter dated 04.08.25 to your good office for using the new standard and as per new standard our AlF ₃ consumption from Oct-25 to Mar-26 ranges between 17.109 to 18.416 kg/MT of Al. Notification copy enclosed as Annexure-4.
vii	Anode butts generated from the pots shall be cleaned and recycled to the Anode Plant. The spent pot lining generated from the smelter shall be properly treated in spent pot lining treatment plant to remove fluoride and cyanide and disposed off in secured landfill. The location and design of the landfill site shall be approved by the OSPCB as per Hazardous Wastes (Management and Handling) Rules, 2003. Leachate collection facilities shall be provided to the secured landfill facility (SLF). The dross shall be recycled in the cast house. STP	<ul style="list-style-type: none"> • Anode butts generated from the pots is being recycled in the Green Anode Plant. • The SPL generated from our smelter is being sent to OSPCB authorized agency M/s Green Energy Resources located at Sambalpur for detoxification which in turn is sending the detoxified material for further utilization in various industries including cement and steel. The refractory portion is being disposed off to Re Sustainability TSDF (formerly known as RAMKY TSDF) as per the Hazardous Waste Authorization. • The secured landfill has been constructed including leachate collection system and collection of surface run off around the SLF to a common sump from where it is taken to the ETP for treatment. SLF phase I has been capped, and monitoring is being carried out as per the CPCB guidelines.



M/s. Vedanta Aluminium Metal Limited, Jharsuguda
 Compliance Status on Environmental Clearance – Expansion of Aluminium Smelter (2.5 to 16 LTPA) and CPP (675 MW to 1350 MW) vide letter no. J-11011/29/2007-IA II (I) dated 11th June, 2008

	<p>sludge shall be utilized as manure for green belt development. All the used oil and batteries shall be sold to the authorized recyclers/re-processors.</p>	<ul style="list-style-type: none"> • We are not disposing hazardous waste in the captive SLF, and details are monthly submitted to OSPCB office for the same. • The dross generated is either being internally processed in dross processing unit for metal recovery or being sold to OSPCB authorized re-processors. • Fly ash is being utilized in various sustainable avenues such as cement and brick manufacturing, road and infrastructure development, reclamation of low-lying areas, quarry back filling etc. • STP sludge is being used in green belt as a manure. • Used batteries and Used oil are being stored in designated sheds and is disposed to authorized recyclers/re-processors. <p>Annual Return (Form-4) of FY-22, FY-23, FY-24 and FY-25 are enclosed as Annexure-6.</p>
viii	<p>Integrated Ash Management Plan shall be prepared for the utilization of fly ash as per Fly Ash Notification, 1999 as amended in 2003 and implemented. A copy of the plan shall be submitted to the Ministry's Regional Office. Fly ash shall be collected pneumatically in silos and used by cement and brick manufacturers for further utilization. Bottom Ash shall be disposed off in ash pond using high concentrated slurry disposal method.</p>	<p>Integrated Ash Management Plan has been prepared and submitted as early as in 2007 as a part of the Rapid EIA. Further, a detailed plan was submitted for the utilization of fly ash as per Fly Ash Notification, 1999 as amended in 2003 and 2009 to the Ministry's Regional Office vide letter no. VAL/MoEF/SMA-106/2012-011 dated June 30, 2012. Fly ash is being collected in dry form in silos of capacity 12000 m³. Ash is being utilized in cement, brick manufacturing, road and infrastructure activities, reclamation of low-lying areas and the balance is disposed off to the ash pond in the form of High Concentration Slurry disposal for further utilization in sustainable avenues.</p> <p>As per MoEFCC Fly ash amendment notification dated 30th December 2022, We have 3 operational ash ponds/dykes (Kurebaga, Siriapali and Katikela) and stored ash is being utilized regularly in the sustainable avenues. The communication letter sent to the OSPCB and CPCB office vide letter no VL/AU/22-23/117/OPCB dated 30th March 2023. Letter is enclosed as Annexure-9a.</p> <p>As per Fly ash notification 2021 and its subsequent amendments, more than 100 percent ash was utilized in FY 2026. Monthly fly ash utilization report has been uploaded in CPCB portal. Moreover, continuous efforts have been made to utilize fly ash in different sustainable avenues as per enclosed plan for 100 percent Fly ash utilization/disposal in close coordination with the statutory bodies. Ash Utilization Plan of FY-26 and request letters are enclosed as Annexure-9b and Annexure-9c respectively.</p>
ix	<p>As proposed, spent pot lining waste shall also be provided to cement and steel industries for further utilization.</p>	<p>The SPL generated from our smelter is being sent to OSPCB authorized agency for detoxification which in turn is sending the detoxified material for further utilization in various industries including cement and</p>

M/s. Vedanta Aluminium Metal Limited, Jharsuguda
 Compliance Status on Environmental Clearance – Expansion of Aluminium Smelter (2.5 to 16 LTPA) and CPP (675 MW to 1350 MW) vide letter no. J-11011/29/2007-IA II (I) dated 11th June, 2008

		<p>steel. We have disposed 104268.14 MT of SPL Carbon since FY-22 till FY-26 to authorized recycler.</p> <p>We have successfully disposed of the entire SPL Refractory Silicon Carbide waste to authorized recycler based on CPCB SOP. Moreover, despite the limitations, we have explored the utilization of SPL mixed fines for co-processing in cement industry since FY-22 and the same is being continued.</p> <p>We are regularly disposing the Refractory SPL to Re Sustainability TSDF (formerly known as RAMKY TSDF) as per the Hazardous Waste Authorization. We have disposed off 9858.46 MT of Refractory SPL in FY'25 and 145755.42 MT of Refractory SPL in FY'26.</p> <p>Annual Return (Form-4) of FY-22, FY-23, FY-24 and FY-25 are enclosed as Annexure-6.</p>
x	Regular ground water monitoring shall be carried out by installing Piezometers all around the secured landfill site in consultation with the Orissa Pollution Control Board, Central Ground Water Authority and State Ground Water Board and data submitted to the Ministry's Regional Office and OSPCB.	Piezometers have been installed in consultation with OSPCB and the ground water monitoring around the SLF area is being done as per the CPCB guidelines and monthly reports submitted to the OSPCB and quarterly to RO, MoEFCC Office. Monitoring Report for the period of Oct-25 to Mar-26 enclosed as Annexure-2.
xi	Total water requirement for the expansion from Hirakud Reservoir shall not exceed 2,580 m ³ /hr and prior permission for the existing and proposed expansion shall be obtained from the concerned department before commissioning of the plant. All the effluent including from cooling tower and de-mineralization plant shall be treated in the effluent treatment plant and treated effluent shall be recycled / reutilized in the process in the smelter and CPP and also for fire protection, dust suppression, green belt development etc. Domestic effluent shall be treated in Sewage Treatment Plant (STP) and treated domestic wastewater will be used for green belt development.	We have a valid water agreement with Govt of Odisha Water Resource department, Burla for withdrawal of 40.9 cusec water from Hirakud reservoir for our Aluminium Smelter and CPP. We have implemented various water conservation measures in our plant to reduce the freshwater consumption. Effluent Treatment Plant along with Reverse Osmosis plant has been installed and the treated effluent is recycled in the process. The ETP Sludge has been sent to OSPCB approved TSDF for disposal. Domestic effluent is treated in the sewage treatment plant and treated water reused in the green belt development. No effluent is being discharged outside the plant premises. Water withdrawal agreement is enclosed as Annexure-32.
xii	No effluent shall be discharged outside the premises during the non-monsoon period and shall be discharged during the monsoon period only after proper treatment	We have implemented various water conservation measures in our plant to reduce the freshwater consumption. Effluent Treatment Plant along with Reverse Osmosis plant has been installed and the treated effluent is recycled in the process. Domestic effluent is

M/s. Vedanta Aluminium Metal Limited, Jharsuguda
 Compliance Status on Environmental Clearance – Expansion of Aluminium Smelter (2.5 to 16 LTPA) and CPP (675 MW to 1350 MW) vide letter no. J-11011/29/2007-IA II (I) dated 11th June, 2008

	and meeting the norms of the OSPCB/CPCB.	treated in the sewage treatment plant and treated water reused in the green belt development. No effluent is being discharged outside the plant premises. Monitoring Report for the period of Oct-25 to Mar-26 enclosed as Annexure-2.																
xiii	Green belt of adequate width and density around the project site shall be developed in 33 % area in consultation with the DFO as per the CPCB guidelines having density of 2,000 trees/ha.	33 percent Green belt has been developed all along the plant periphery and plant area. Efforts have been made to cover three tier green belt all along the periphery. High potential local species has been planted to attenuate the pollutants as per the CPCB guidelines. We would like to bring your kind notice towards the fact that Jharsuguda town is situated more than 3 Km. Moreover, as a responsible corporate, we have taken up plantation activities in Jharsuguda at various locations. Green Belt Photos are enclosed as Annexure-5a. We have taken up a mass plantation drive outside plant premises in an area of ~50 acres with 1 lakh saplings under MoEFCC drive-Ek Ped Maa Ke Naam. Letter enclosed as Annexure-5c.																
xiv	Occupational Health Surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.	Occupational Health Surveillance of the workers is being done on a regular basis and records are being maintained. Sample records are enclosed as Annexure-23. <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Year</th> <th>Permanent Employee</th> <th>Contractual Employee</th> <th>Total Employee</th> </tr> </thead> <tbody> <tr> <td>2023-24</td> <td>2271</td> <td>8513</td> <td>10784</td> </tr> <tr> <td>2024-25</td> <td>2623</td> <td>11327</td> <td>13950</td> </tr> <tr> <td>2025-26</td> <td>3138</td> <td>14234</td> <td>17372</td> </tr> </tbody> </table>	Year	Permanent Employee	Contractual Employee	Total Employee	2023-24	2271	8513	10784	2024-25	2623	11327	13950	2025-26	3138	14234	17372
Year	Permanent Employee	Contractual Employee	Total Employee															
2023-24	2271	8513	10784															
2024-25	2623	11327	13950															
2025-26	3138	14234	17372															
xv	The company shall develop rainwater structures to harvest the runoff water for recharge of ground water in consultation with the Central Ground Water Authority/Board.	As per CGWA guidelines September 2020, the industries falling under hazardous category should not implement any recharge measures within the plant premises. Hence, we have carried out roof top rainwater harvesting structures at our site to utilize the collected/harvested water. CGWA guideline enclosed as Annexure-33. We have installed 7 nos. of roof top rainwater harvesting structure with a total capacity of more than 10000 m ³ of rainwater for reuse. The details pf all rainwater harvesting measures adopted in our complex has been submitted to CGWA vide letter no VI/CGWB/003/2024-01 dated August 05, 2024. Letter enclosed as Annexure-7a. Moreover, we have completed cleaning and restoration of various community ponds and farm ponds thereby augmenting the capacity for rainwater harvesting in the surrounding villages. Photos of few ponds are enclosed as Annexure-7b.																
xvi	Rehabilitation and Resettlement (R & R) Plan prepared and submitted to the State Govt. shall be implemented as per the R & R	The R and R package has been finalized based on the R and R Policy of Odisha incorporating the local additional requirement discussed in the RPDAC meeting chaired by the Revenue Divisional Commissioner and attended by																

M/s. Vedanta Aluminium Metal Limited, Jharsuguda
Compliance Status on Environmental Clearance – Expansion of Aluminium Smelter (2.5 to 16 LTPA) and CPP (675 MW to 1350 MW) vide letter no. J-11011/29/2007-IA II (I) dated 11th June, 2008

	Policy of the State Government. All the recommendations mentioned in the R & R Plan shall be strictly followed including suitable employment and other facilities to all the oustees.	the District Collector and representatives of the affected villagers. The District Collector/District Magistrate and the Administration is overseeing to ensure strict compliance of the commitment. Status Report enclosed as Annexure-34.
xvii	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Aluminium sector shall be strictly implemented.	The recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Aluminium and its subsequent amendments is being implemented at site. Status enclosed as Annexure-8.
xviii	All the environmental conditions stipulated by the Ministry vide letter no. J-11011/144/2006- IA II (I) dated 7th March, 2007 for the Aluminium Smelter Plant (2,50,000 TPA) at Village Bhurkamunda / Brundamal, District Jharsuguda, Orissa by M/s Vedanta Aluminium Ltd. shall be satisfactorily be complied and regular compliance report submitted to the Ministry's Regional Office at Bhubaneswar.	All the environmental conditions stipulated for the Aluminium Smelter Plant (2.5 LTPA) are being complied. We are uploading half yearly compliance report along with monitoring data and supporting annexures in the MoEFCC Parivesh Portal and uploaded on our website and link of the same is as below. https://vedantaaluminium.com/sustainability/compliance-report-jharsuguda/
xix	Prior permission from the State Forest Department shall be obtained due to likely impact of transport of raw material and end product and gaseous emissions from the smelter on the surrounding reserve forests and wildlife. Recommendations regarding mitigative measures suggested by the State Forest Department and Chief Wildlife Warden, Govt. of Orissa shall be strictly followed.	Raw material and end products are transported through existing rail and road networks through wagons, bulkers and covered trucks (which are closed and covered). The Principal Chief Conservator of Forests, (Wildlife) and Chief Wildlife Warden, Odisha has approved the site-specific wildlife conservation plan on 30.04.2021 with a financial forecast of Rs. 610.894 lakhs to be spent for implementation by the Forest Department (Both Jharsuguda and Sambalpur Forest Division) for this plan. Accordingly, as per the demand raised by the Divisional Forest Officer, Jharsuguda, an amount of Rs. 530.904 lakhs have been deposited on 17.05.2021 towards implementation of the above-mentioned plan over a period of 10 years. The plan is under implementation by Forest Department. Moreover, the recommendations given in the wildlife management plan to be executed by Vedanta Ltd. have been completed except compliance of condition for providing the software for WL-Anukampa and its maintenance. We are continuously taking follow-up with the DFO office for the implementation status and way forward to comply the WL-Anukampa and its maintenance condition. Latest communication and implementation status are enclosed as Annexure-12.
xx	Ministry of Environment and Forests shall regularly be informed about the source and quantity of Alumina procured	We regularly inform about the source and quantity of Alumina procured from captive/ indigenous/ imported sources. The source and quantity of alumina procured during FY 2026 is as below:

M/s. Vedanta Aluminium Metal Limited, Jharsuguda
 Compliance Status on Environmental Clearance – Expansion of Aluminium Smelter (2.5 to 16 LTPA) and CPP (675 MW to 1350 MW) vide letter no. J-11011/29/2007-IA II (I) dated 11th June, 2008

	from captive/indigenous/imported sources.	<p>Domestic - 2732914 MT Imported - 790870 MT Imported alumina sources are as follows:</p> <ul style="list-style-type: none"> • Vietnam Coal and Mineral Industries Holding Corporation Limited (Vinacomin), Vietnam • PT. Borneo Alumindo Prima • PT Well Harvest Winning Alumina Refinery, Indonesia • Worsley Alumina, Australia • Rio Tinto Aluminium, Australia • Pt. Bintan Alumina, Indonesia • Maaden • South 32, Australia <p>Domestic alumina sources are as follows:</p> <ul style="list-style-type: none"> • Utkal Alumina Refinery, Doraguda, Rayagada, India • NALCO Alumina Refinery, Damanjodi, Odisha • Alumina Refinery , Lanjigarh Odisha
xxi	Alumina shall be obtained only from those refineries, which have been accorded environmental clearance by the Ministry of Environment and Forests.	We ensure that alumina is being sourced from own refinery or from refineries in India which have been accorded Environmental Clearance by MoEFCC. We also import alumina from other countries.
GENERAL CONDITIONS		
I	The project authorities must strictly adhere to the stipulations made by the Orissa State Pollution Control Board and the State Government.	Noted
II	No expansion or modification in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.	Noted
III	Adequate number of ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of SPM, SO ₂ and NO _x are anticipated in consultation with the OSPCB. Data on ambient air quality and stack emission should be regularly submitted to this Ministry including its Regional Office at Bhubaneswar and Orissa State Pollution Control Board once in six months.	<p>Manual and Continuous Ambient air quality monitoring stations have been established as per the mathematical modelling carried out during the Environmental Impact Assessment study. All stations are qualified the criteria of downwind, upwind and crosswind directions. Communication letter enclosed as Annexure-35.</p> <p>We had already submitted an application/letter to OSPCB regarding precise location of the AAQMS on dated 22.04.2024, 08.07.2024 and 25.07.2024 along with a report Air Dispersion Modelling for Power and Aluminium Plant, Bhurkamunda, Jharsuguda - to Check the Efficacy of the Existing Ambient Air Quality Network (manual and CAAQMS) by Professor Mukesh Sharma, IIT Kanpur.</p> <p>Monitoring data of ambient air quality and stack monitoring are regularly submitted to MoEFCC, IRO MoEFCC, OSPCB. Monitoring Report for the period of Oct-25 to Mar-26 enclosed as Annexure-2.</p>



M/s. Vedanta Aluminium Metal Limited, Jharsuguda
 Compliance Status on Environmental Clearance – Expansion of Aluminium Smelter (2.5 to
 16 LTPA) and CPP (675 MW to 1350 MW) vide letter no. J-11011/29/2007-IA II (I) dated
 11th June, 2008

IV	Industrial wastewater should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. The treated wastewater should be recycled in the plant as well as utilization for plantation purposes.	The wastewater generated from the plant is collected and treated in the effluent treatment plant to conform to the prescribed standards. The treated water is being recycled and reused in the plant. Domestic effluent is treated in the sewage treatment plant and treated water reused in the green belt development. No effluent is being discharged outside the plant premises. Monitoring Report for the period of Oct-25 to Mar-26 enclosed as Annexure-2.
V	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Wastes (Management and Handling) Rules, 2003. Authorization from the OSPCB must be obtained for collection, storage, treatment and disposal of hazardous wastes.	We are strictly complying with the rules and regulations with regard to handling, collection, transport, treatment, storage and disposal of Hazardous waste in accordance with the Hazardous Wastes (Management and Handling) Rules, 2016 and are having a valid Hazardous waste authorization for the management of Hazardous wastes from OSPCB.
VI	The overall noise levels in and around the plant area should be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).	The overall noise levels are being maintained below the stipulated standards as per EPA Rules, 1989. The ambient noise levels monitored are observed within 53.6 dB(A) to 74.5 dB(A) during daytime and 44 dB(A) to 69.1 dB(A) in nighttime. Monitoring Report for the period of Oct-25 to Mar-26 enclosed as Annexure-2.
VII	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP/risk analysis and DMP report.	All environmental protection measures and safeguards as recommended in the EIA/EMP/risk analysis and DMP are being implemented. Implementation status report enclosed as Annexure-36.
VIII	As proposed in EIA/EMP, Rs. 505.00 Crores earmarked toward the capital cost and recurring the expenditure/annum for environmental protection measures shall be used judiciously to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. The funds so provided shall not be diverted for any other purposes.	We have earmarked capital cost towards installation of environmental control, monitoring systems and green belt development. Every year the budget is separately allocated for the Operation and Maintenance of pollution control, monitoring systems, Greenbelt development, which is not diverted for any other purpose. Expenditure details enclosed as Annexure-37.

M/s. Vedanta Aluminium Metal Limited, Jharsuguda
 Compliance Status on Environmental Clearance – Expansion of Aluminium Smelter (2.5 to 16 LTPA) and CPP (675 MW to 1350 MW) vide letter no. J-11011/29/2007-IA II (I) dated 11th June, 2008

IX	The Regional Office of this Ministry at Bhubaneswar/Central Pollution Control Board/ OSPCB will monitor the stipulated conditions. A six monthly compliance report and the monitored data along with statistical interpretation should be submitted to them regularly.	We are uploading half yearly compliance report along with monitoring data and supporting annexures in the MoEFCC Parivesh Portal and uploaded on our website and link of the same is as below. https://vedantaaluminium.com/sustainability/compliance-report-jharsuguda/
X	The Project Proponent should inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the State Pollution Control Board/ Committee and may also be seen at Website of the Ministry of Environment and Forests at http://envfor.nic.in . This should be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office.	Necessary advertisement with information as advised by the Ministry has been released in two local newspapers one in vernacular (Samaja, Sambalpur on 25.06.2008) and one in English (Times of India, Bhubaneswar on 25.06.2008). Advertisement published in the newspaper are enclosed Annexure-38.
XI	The Project Authorities should inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	The project of 16 LTPA Aluminium Smelter and 1215 MW CPP was approved by MoEFCC vide EC letter no J-11011/29/2007-IA-II (I) dated 11.06.2008 and OSPCB Consent to Establish (CTE) vide letter no 7723/IND-II-NOC-4870 dated 18.05.2009 and OSPCB renewed Consent to Operate (CTO) vide letter no 6536/IND-CON-6079 dated 28.03.2025. We have commenced the land development work as per the Consent to Establish and final approval i.e. Consent to Operate.



Sl.No.	Terms and Conditions	Status
a.	<p>Details regarding change in source (location of the source, proposed quantity, distance from the power plant and mode of transportation), quality (Ash, Sulphur, Moisture content and Calorific value) shall be informed to the Ministry and its concerned Regional Office. The quantity of coal transported from each source along with the mode of transportation shall be submitted as part of EC Compliance Report.</p> <ol style="list-style-type: none"> 1. Domestic to Domestic 2. from domestic to domestic (blended with imported coal up to 30% content of imported coal) 3. from imported to imported (blended with domestic coal up to 10% content of domestic coal) 4. from imported to domestic (where the GCV of the domestic coal is of the same grade as of imported coal). 	<p>We have procured the coal from the below domestic sources: Source - MCL, NLC, OCPL, and Captive Mine (Jamkhani). Coal Quality details - GCV (Kcal/kg) ARB - Approx 2800 to Approx 3400 Ash - 40 percent to 50 percent Sulphur Content - 0.34 percent to 0.55 percent Total Moisture -11.73 percent to 13.51 percent</p>
b.	<p>The applicable flue gas emissions standards for Particulate Matter, Sulphur Dioxide, Oxides of Nitrogen and Mercury shall be complied in line with Ministry's Notification vide S.O. 3305(E) dated 7.12.2015 and subsequent emissions. A progress of implementation and its compliance shall be submitted as part of Compliance Report.</p>	<p>As per the notification G.S.R. 465(E), dated 11th July 2025, the Sulphur dioxide emission standards shall not be applicable to all C Category thermal power plants subject to ensuring compliance of stack height criteria. As per the criteria mentioned in the notification, we are falling under category C and stack height of our powerplants is 275m since the inception of plant. So SO₂ standard has not applicable to our plant. Notification copy enclosed as Annexure-40. The applicable flue gas emission standards like PM, SO₂, NO_x and Hg is being monitored regularly. Monitoring Report for the period of Oct-24 to Nov-25 enclosed as Annexure-2.</p>
c.	<p>Ash content in the Coal and Coal transportation is governed by the Ministry's Notification vide S.O. 1561 (E) dated 21.5.2020. As far as possible, Coal transportation shall be done by rail/ conveyor or other eco-friendly modes. However, road transportation is allowed with tarpaulin covered trucks till the railway/ conveyor belt infrastructure is made available. A progress (Physical and financial) of rail connectivity from nearest railway siding or conveyor connectivity to the power plant shall be submitted in the EC compliance report.</p>	<p>Mode of transportation of coal is rail and road with proper mitigative measures. In addition to that we have provided railway infrastructure inside plant premises for unloading of coal with proper mitigative measures.</p>
d .	<p>Additional ash pond shall not be permitted on account of increase in ash content in the</p>	<p>Noted.</p>

	raw coal as due to change in coal source including lignite other than the ash pond permitted and specified in the Prior Environmental Clearance. 100% fly ash utilisation is to be achieved within 4 years in accordance with the extant provisions laid down in the Fly ash notifications dated 14.09.1999, 27.08.2003, 3.11.2009 & 25.01.2016, 31.12.2021 and 30.12.2022 as amended from time to time.	As per Fly ash notification 2021 and its subsequent amendments, more than 100 percent ash was utilized in FY 2026. Moreover, continuous efforts have been made to utilize fly ash in different sustainable avenues as per enclosed plan for 100 percent Fly ash utilization/disposal in close coordination with the statutory bodies. Ash Utilization Plan of FY-26 and request letters are enclosed as Annexure-9b and Annexure-9c respectively.
e.	In case of exceptional circumstances, project proponents may approach the Ministry for seeking permission to use an emergency ash pond with cogent reasons, if any.	Noted.
f.	The details regarding monthly generation, utilisation and disposal of fly ash (including bottom ash) shall be submitted to the Ministry and its Regional Office.	Monthly fly ash utilization report has been uploaded in CPCB portal.





Ref: Envlab/26-27/TR-02855

Date: 07.05.2026

**VEDANTA LIMITED, JHARSUGUDA
SMELTER & CPP
Half Yearly Environment Quality Report
(October 2025 – March 2026)**

1. Stack Emission:

a) Pot Room Fume Treatment Plant (FTP) Outlet

i. Particulate Matter (mg/Nm³)

Stack Description	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
FTP 1- Pot Line-1	100	5.5	5.2	5.0	5.2	5.0	5.3	5.0	5.5	5.2
FTP 2- Pot Line-1	100	5.1	5.2	5.4	5.5	5.6	5.2	5.1	5.6	5.3
FTP 3- Pot Line-2	100	5.4	5.5	5.1	5.0	5.2	5.0	5.0	5.5	5.2
FTP 4- Pot Line-2	100	5.4	5.6	5.5	5.3	5.1	5.5	5.1	5.6	5.4
FTP 5- Pot Line-3	100	2.2	2.3	2.5	2.6	2.8	3.0	2.2	3.0	2.6
FTP 6- Pot Line-3	100	3.0	3.1	3.3	3.0	3.2	3.5	3.0	3.5	3.2
FTP 7- Pot Line-4	100	3.5	3.2	3.0	3.2	3.0	3.1	3.0	3.5	3.2
FTP 8- Pot Line-4	100	3.2	3.5	3.6	3.5	3.2	2.9	2.9	3.6	3.3
FTP 9- Pot Line-5	100	2.8	3.0	3.2	3.4	3.3	3.4	2.8	3.4	3.2
FTP 10- Pot Line-5	100	3.1	3.3	3.1	3.4	3.1	3.2	3.1	3.4	3.2
FTP 11- Pot Line-6	100	3.2	3.1	3.2	3.5	3.6	3.5	3.1	3.6	3.4
FTP 12- Pot Line-6	30	3.6	3.5	3.2	3.3	3.5	3.3	3.2	3.6	3.4

ii. Gaseous Fluoride (mg/Nm³)

Stack Description	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
FTP 1- Pot Line-1	0.44	0.42	0.44	0.46	0.53	0.55	0.42	0.55	0.47
FTP 2- Pot Line-1	0.45	0.41	0.42	0.45	0.42	0.46	0.41	0.46	0.44
FTP 3- Pot Line-2	0.48	0.46	0.45	0.48	0.45	0.48	0.45	0.48	0.47
FTP 4- Pot Line-2	0.55	0.52	0.50	0.51	0.50	0.51	0.50	0.55	0.52
FTP 5- Pot Line-3	0.56	0.55	0.58	0.60	0.62	0.60	0.55	0.62	0.59
FTP 6- Pot Line-3	0.60	0.61	0.60	0.62	0.61	0.63	0.60	0.63	0.61
FTP 7- Pot Line-4	0.63	0.62	0.65	0.66	0.60	0.64	0.60	0.66	0.63
FTP 8- Pot Line-4	0.57	0.59	0.55	0.59	0.62	0.65	0.55	0.65	0.60
FTP 9- Pot Line-5	0.62	0.60	0.61	0.64	0.66	0.61	0.60	0.66	0.62
FTP 10- Pot Line-5	0.60	0.63	0.60	0.62	0.65	0.68	0.60	0.68	0.63
FTP 11- Pot Line-6	0.61	0.62	0.64	0.65	0.60	0.66	0.60	0.66	0.63
FTP 12- Pot Line-6	0.65	0.64	0.65	0.67	0.63	0.65	0.63	0.67	0.65





Ref: Envlab/26-27/TR- 02856

Date: 07.05.2026

iii. Particulate Fluoride (mg/Nm³)

Stack Description	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
FTP 1- Pot Line-1	0.65	0.058	0.055	0.053	0.056	0.058	0.055	0.053	0.058	0.056
FTP 2- Pot Line-1	0.65	0.044	0.048	0.049	0.048	0.045	0.048	0.044	0.049	0.047
FTP 3- Pot Line-2	0.65	0.053	0.055	0.056	0.060	0.063	0.060	0.053	0.063	0.058
FTP 4- Pot Line-2	0.65	0.056	0.059	0.058	0.059	0.056	0.059	0.056	0.059	0.058
FTP 5- Pot Line-3	0.65	0.065	0.062	0.066	0.063	0.066	0.064	0.062	0.066	0.064
FTP 6- Pot Line-3	0.65	0.060	0.063	0.060	0.065	0.061	0.065	0.060	0.065	0.062
FTP 7- Pot Line-4	0.65	0.058	0.055	0.058	0.059	0.057	0.055	0.055	0.059	0.057
FTP 8- Pot Line-4	0.65	0.064	0.060	0.062	0.060	0.063	0.060	0.060	0.064	0.062
FTP 9- Pot Line-5	0.65	0.065	0.066	0.065	0.067	0.064	0.066	0.064	0.067	0.066
FTP 10- Pot Line-5	0.65	0.059	0.057	0.059	0.054	0.055	0.054	0.054	0.059	0.056
FTP 11- Pot Line-6	0.65	0.054	0.055	0.054	0.056	0.054	0.052	0.052	0.056	0.054
FTP 12- Pot Line-6	0.65	0.063	0.065	0.062	0.065	0.062	0.063	0.062	0.065	0.063

iv. Total Fluoride (kg/T)

Stack Description	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
FTP 1- Pot Line-1	0.30	0.07	0.07	0.07	0.07	0.08	0.09	0.07	0.09	0.08
FTP 2- Pot Line-1	0.30	0.07	0.07	0.07	0.07	0.07	0.08	0.07	0.08	0.07
FTP 3- Pot Line-2	0.30	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
FTP 4- Pot Line-2	0.30	0.09	0.09	0.08	0.08	0.08	0.08	0.08	0.09	0.08
FTP 5- Pot Line-3	0.20	0.07	0.06	0.08	0.08	0.07	0.07	0.06	0.08	0.07
FTP 6- Pot Line-3	0.20	0.08	0.07	0.07	0.07	0.08	0.08	0.07	0.08	0.08
FTP 7- Pot Line-4	0.20	0.08	0.07	0.07	0.08	0.07	0.07	0.07	0.08	0.07
FTP 8- Pot Line-4	0.20	0.07	0.07	0.07	0.07	0.08	0.08	0.07	0.08	0.07
FTP 9- Pot Line-5	0.20	0.07	0.07	0.07	0.07	0.08	0.08	0.07	0.08	0.07
FTP 10- Pot Line-5	0.20	0.08	0.08	0.08	0.08	0.07	0.08	0.07	0.08	0.08
FTP 11- Pot Line-6	0.20	0.08	0.07	0.08	0.08	0.08	0.09	0.07	0.09	0.08
FTP 12- Pot Line-6	0.20	0.08	0.08	0.08	0.09	0.08	0.08	0.08	0.09	0.08

b) Bake Oven Fume Treatment Plant (FTP) Outlet

i. Particulate Matter (mg/Nm³)

Stack Description	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
FTP 1 - Bake Oven	100	5.4	5.6	5.4	5.6	5.2	5.5	5.2	5.6	5.5
FTP 2 - Bake Oven	100	5.5	5.2	5.0	5.1	5.4	5.8	5.0	5.8	5.3
FTP-3 - Bake Oven	100	6.0	6.1	6.2	6.0	6.1	6.0	6.0	6.2	6.1
FTP-4 - Bake Oven	100	5.4	5.8	5.9	5.5	5.8	6.1	5.4	6.1	5.8
FTP-5 - Bake Oven	100	5.8	5.5	5.4	5.8	5.3	5.6	5.3	5.8	5.6





Ref: Envlab/26-27/TR- 02857

Date: 07.05.2026

ii. Gaseous Fluoride (mg/Nm³)

Stack Description	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
FTP 1 - Bake Oven	2.25	2.28	2.33	2.58	2.33	2.42	2.25	2.58	2.37
FTP 2 - Bake Oven	2.44	2.45	2.40	2.44	2.45	2.40	2.40	2.45	2.43
FTP-3 - Bake Oven	2.60	2.56	2.59	2.56	2.40	2.58	2.40	2.60	2.55
FTP-4 - Bake Oven	2.41	2.45	2.41	2.36	2.31	2.26	2.26	2.45	2.37
FTP-5 - Bake Oven	2.45	2.42	2.38	2.62	2.38	2.30	2.30	2.62	2.43

iii. Particulate Fluoride (mg/Nm³)

Stack Description	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
FTP 1 - Bake Oven	0.65	0.56	0.58	0.40	0.59	0.55	0.52	0.40	0.59	0.53
FTP 2 - Bake Oven	0.65	0.43	0.45	0.42	0.45	0.42	0.46	0.42	0.46	0.44
FTP-3 - Bake Oven	0.65	0.45	0.42	0.40	0.39	0.36	0.33	0.33	0.45	0.39
FTP-4 - Bake Oven	0.65	0.42	0.43	0.45	0.42	0.40	0.44	0.40	0.45	0.43
FTP-5 - Bake Oven	0.65	0.52	0.50	0.52	0.50	0.53	0.50	0.50	0.53	0.51

iv. Total Fluoride (Kg/T)

Stack Description	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
P 1 - Bake Oven	0.1	0.02	0.03	0.02	0.03	0.03	0.03	0.02	0.03	0.03
P 2 - Bake Oven	0.1	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
P-3 - Bake Oven	0.1	0.02	0.02	0.02	0.02	0.01	0.02	0.01	0.02	0.02
P-4 - Bake Oven	0.1	0.01	0.02	0.02	0.02	0.02	0.01	0.01	0.02	0.02
P-5 - Bake Oven	0.1	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.02	0.02

v. Total PAH (mg/Nm³)

Stack Description	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
FTP 1 - Bake Oven	2	0.24	0.25	0.28	0.26	0.26	0.27	0.24	0.28	0.26
FTP 2 - Bake Oven	2	0.25	0.22	0.24	0.25	0.25	0.24	0.22	0.25	0.24
FTP-3 - Bake Oven	2	0.22	0.23	0.25	0.29	0.28	0.25	0.22	0.29	0.25
FTP-4 - Bake Oven	2	0.25	0.22	0.26	0.22	0.27	0.24	0.22	0.27	0.24
FTP-5 - Bake Oven	2	0.25	0.24	0.26	0.24	0.27	0.26	0.24	0.27	0.25





Ref: Envlab/26-27/TR- 02858

Date: 07.05.2026

c) Captive Power Plant (CPP)

i. Particulate Matter (mg/Nm³)

Stack Description	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
P- Unit 1	50	41.3	42.0	41.6	42.5	42.1	41.8	41.3	42.5	41.9
P- Unit 2	50	46.2	45.8	44.9	44.6	44.5	44.0	44.0	46.2	45.0
P- Unit 3	50	46.6	46.9	46.0	45.8	45.2	45.6	45.2	46.9	46.0
P- Unit 4	50	45.1	44.8	45.3	46.0	45.8	46.2	44.8	46.2	45.5
P- Unit 5	50	44.8	45.7	46.5	46.9	46.3	45.8	44.8	46.9	46.0
P- Unit 6	50	45.4	46.3	46.8	45.4	45.0	44.7	44.7	46.8	45.6
P- Unit 7	50	42.9	43.1	44.5	47.2	46.9	47.2	42.9	47.2	45.3
P- Unit 8	50	44.0	44.5	42.9	43.8	43.2	42.5	42.5	44.5	43.5
P- Unit 9	50	45.6	45.8	46.1	45.9	44.8	44.1	44.1	46.1	45.4

ii. SO₂ (mg/Nm³)

Stack Description	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
P- Unit 1	1356	1362	1354	1362	1354	1328	1328	1362	1353
P- Unit 2	1324	1344	1338	1325	1316	1310	1310	1344	1326
P- Unit 3	1350	1328	1306	1312	1308	1315	1306	1350	1320
P- Unit 4	1328	1336	1328	1320	1322	1334	1320	1336	1328
P- Unit 5	1346	1340	1348	1355	1364	1356	1340	1364	1352
P- Unit 6	1332	1348	1355	1364	1358	1366	1332	1366	1354
P- Unit 7	1308	1324	1386	1390	1398	1402	1308	1402	1368
P- Unit 8	1316	1320	1352	1348	1356	1368	1316	1368	1343
P- Unit 9	1345	1356	1366	1356	1364	1355	1345	1366	1357

iii. NO_x (mg/Nm³)

Stack Description	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
CPP- Unit 1	450	348	342	336	338	321	317	317	348	334
CPP- Unit 2	450	324	325	320	312	310	315	310	325	318
CPP- Unit 3	450	360	355	348	353	346	339	339	360	350
CPP- Unit 4	450	341	348	356	368	372	366	341	372	359
CPP- Unit 5	450	325	336	329	336	341	335	325	341	334
CPP- Unit 6	450	336	328	333	321	332	327	321	336	330
CPP- Unit 7	450	328	334	342	345	354	360	328	360	344
CPP- Unit 8	450	324	330	325	320	328	334	320	334	327
CPP- Unit 9	450	360	354	360	355	360	358	354	360	358





Ref: Envlab/26-27/TR- 02859

Date: 07.05.2026

iv. Mercury (mg/Nm³)

Stack Description	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
CPP- Unit 1	0.03	0.0082	0.0085	0.0088	0.0090	0.0082	0.0083	0.0082	0.0090	0.0085
CPP- Unit 2	0.03	0.0081	0.0080	0.0082	0.0085	0.0088	0.0085	0.0080	0.0088	0.0084
CPP- Unit 3	0.03	0.0075	0.0078	0.0075	0.0077	0.0078	0.0079	0.0075	0.0079	0.0077
CPP- Unit 4	0.03	0.0069	0.0072	0.0079	0.0078	0.0080	0.0084	0.0069	0.0084	0.0077
CPP- Unit 5	0.03	0.0080	0.0088	0.0086	0.0085	0.0081	0.0080	0.0080	0.0088	0.0083
CPP- Unit 6	0.03	0.0078	0.0075	0.0080	0.0082	0.0079	0.0078	0.0075	0.0082	0.0079
CPP- Unit 7	0.03	0.0079	0.0070	0.0078	0.0071	0.0073	0.0075	0.0070	0.0079	0.0074
CPP- Unit 8	0.03	0.0082	0.0084	0.0085	0.0079	0.0075	0.0072	0.0072	0.0085	0.0080
CPP- Unit 9	0.03	0.0080	0.0083	0.0082	0.0086	0.0080	0.0078	0.0078	0.0086	0.0082

2. Fugitive Fluoride in Pot rooms

Fugitive Fluoride: Particulate Fluoride (mg/Nm ³)										
Potroom	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Room 1	1.85	0.484	0.578	0.604	0.337	0.439	0.381	0.337	0.604	0.471
Room 2	1.85	0.429	0.673	0.604	0.470	0.474	0.492	0.429	0.673	0.524
Room 3	1.85	0.411	0.574	0.584	0.492	0.446	0.337	0.337	0.584	0.474
Room 4	1.85	0.484	0.687	0.607	0.412	0.400	0.376	0.376	0.687	0.494
Room 5	1.85	0.346	0.563	0.470	0.337	0.340	0.328	0.328	0.563	0.397
Room 6	1.85	0.290	0.480	0.489	0.356	0.357	0.391	0.290	0.489	0.394
Room 7	1.85	0.338	0.541	0.449	0.314	0.317	0.309	0.309	0.541	0.378
Room 8	1.85	0.310	0.529	0.446	0.288	0.292	0.332	0.288	0.529	0.366
Room 9	1.85	0.347	0.450	0.473	0.262	0.359	0.311	0.262	0.473	0.367
Room 10	1.85	0.363	0.531	0.471	0.285	0.246	0.251	0.246	0.531	0.358
Room 11	1.85	0.301	0.545	0.526	0.398	0.354	0.394	0.301	0.545	0.420
Room 12	1.85	0.366	0.532	0.437	0.322	0.283	0.267	0.267	0.532	0.368

Fugitive Fluoride: Gaseous Fluoride (mg/Nm ³)										
Potroom	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg	
Room 1	1.330	1.268	1.327	1.229	1.214	1.262	1.214	1.330	1.272	
Room 2	1.372	1.264	1.283	1.167	1.290	1.220	1.167	1.372	1.266	
Room 3	1.227	1.241	1.340	1.256	1.259	1.275	1.227	1.340	1.266	
Room 4	1.353	1.297	1.280	1.239	1.226	1.252	1.226	1.353	1.275	
Room 5	1.053	0.978	1.201	1.261	1.028	0.991	0.978	1.261	1.085	
Room 6	1.128	1.063	1.164	1.167	1.044	0.978	0.978	1.167	1.091	
Room 7	1.128	1.039	1.119	1.025	1.051	1.025	1.025	1.128	1.065	
Room 8	1.077	0.981	1.191	0.992	1.101	1.074	0.981	1.191	1.069	
Room 9	1.263	1.105	1.236	1.184	1.091	1.045	1.045	1.263	1.154	
Room 10	1.109	1.018	1.108	1.052	1.113	1.073	1.018	1.113	1.079	
Room 11	1.115	0.980	1.181	1.007	1.095	0.964	0.964	1.181	1.057	
Room 12	1.124	1.051	1.179	1.035	1.146	1.187	1.035	1.187	1.120	





Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Ref: Envlab/26-27/TR- 02860

Date: 07.05.2026

Total Fluoride: Particulate Fluoride (Kg/Mt)									
Potroom	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Room 1	0.102	0.116	0.121	0.079	0.106	0.088	0.079	0.121	0.102
Room 2	0.094	0.131	0.126	0.106	0.106	0.112	0.094	0.131	0.113
Room 3	0.093	0.122	0.113	0.105	0.100	0.080	0.080	0.122	0.102
Room 4	0.102	0.130	0.118	0.092	0.094	0.086	0.086	0.130	0.104
Room 5	0.094	0.139	0.109	0.081	0.090	0.091	0.081	0.139	0.101
Room 6	0.076	0.118	0.112	0.091	0.096	0.109	0.076	0.118	0.100
Room 7	0.086	0.130	0.111	0.086	0.087	0.084	0.084	0.130	0.097
Room 8	0.085	0.136	0.103	0.085	0.080	0.091	0.080	0.136	0.097
Room 9	0.083	0.109	0.107	0.070	0.096	0.089	0.070	0.109	0.092
Room 10	0.094	0.132	0.114	0.078	0.068	0.072	0.068	0.132	0.093
Room 11	0.078	0.136	0.117	0.101	0.098	0.111	0.078	0.136	0.107
Room 12	0.092	0.126	0.099	0.089	0.077	0.071	0.071	0.126	0.092

Total Fluoride: Gaseous Fluoride (Kg/Mt)									
Potroom	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Room 1	0.279	0.255	0.265	0.289	0.292	0.292	0.255	0.292	0.279
Room 2	0.299	0.247	0.267	0.264	0.288	0.277	0.247	0.299	0.274
Room 3	0.277	0.263	0.258	0.268	0.283	0.304	0.258	0.304	0.276
Room 4	0.286	0.245	0.250	0.278	0.289	0.287	0.245	0.289	0.273
Room 5	0.285	0.242	0.278	0.305	0.271	0.274	0.242	0.305	0.276
Room 6	0.294	0.260	0.268	0.289	0.280	0.273	0.260	0.294	0.277
Room 7	0.288	0.250	0.275	0.281	0.288	0.279	0.250	0.288	0.277
Room 8	0.296	0.252	0.274	0.292	0.301	0.295	0.252	0.301	0.285
Room 9	0.302	0.268	0.278	0.316	0.292	0.299	0.268	0.316	0.293
Room 10	0.288	0.252	0.269	0.288	0.307	0.308	0.252	0.308	0.285
Room 11	0.290	0.244	0.263	0.256	0.293	0.271	0.244	0.293	0.270
Room 12	0.283	0.249	0.267	0.286	0.313	0.314	0.249	0.314	0.285





Ref: Envlab/26-27/TR- 02861

Date: 07.05.2026

Total Fugitive Fluoride (Kg/Mt)										
Potroom	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Room 1	0.4	0.381	0.371	0.386	0.368	0.398	0.380	0.368	0.398	0.381
Room 2	0.4	0.393	0.378	0.393	0.370	0.394	0.389	0.370	0.394	0.386
Room 3	0.4	0.370	0.385	0.371	0.373	0.383	0.384	0.370	0.385	0.378
Room 4	0.4	0.388	0.375	0.368	0.370	0.383	0.373	0.368	0.388	0.376
Room 5	0.4	0.379	0.381	0.387	0.386	0.361	0.365	0.361	0.387	0.377
Room 6	0.4	0.370	0.378	0.380	0.389	0.376	0.382	0.370	0.389	0.379
Room 7	0.4	0.374	0.380	0.386	0.367	0.375	0.363	0.363	0.386	0.374
Room 8	0.4	0.381	0.388	0.377	0.377	0.381	0.386	0.377	0.388	0.382
Room 9	0.4	0.385	0.377	0.385	0.386	0.388	0.388	0.377	0.388	0.385
Room 10	0.4	0.382	0.384	0.383	0.366	0.375	0.380	0.366	0.384	0.378
Room 11	0.4	0.368	0.380	0.380	0.357	0.391	0.382	0.357	0.391	0.376
Room 12	0.4	0.375	0.375	0.366	0.375	0.390	0.385	0.366	0.390	0.378

3. Forage Fluoride

Sl. No.	Location	Forage Fluoride (ppm)								
		Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Limit		One Month: 40 ppm								
1.	Gudigaon	20.6	20.1	20.5	20.2	20.5	20.1	20.1	20.6	20.3
2.	Kurebaga	20.4	20.5	20.0	20.5	20.6	21.6	20.0	21.6	20.6
3.	Siriapali	20.6	20.8	21.2	21.4	21.0	21.8	20.6	21.8	21.1
4.	Katapali	20.4	20.2	20.4	20.8	20.1	20.9	20.1	20.9	20.5
5.	Katikela	20.5	20.8	20.2	20.0	20.2	21.4	20.0	21.4	20.5
6.	Burkhamunda	19.1	20.3	21.3	21.6	21.1	21.8	19.1	21.8	20.9
7.	R&R Colony	20.5	21.1	21.0	20.9	20.5	20.2	20.2	21.1	20.7
8.	Tumbakela	20.9	21.2	22.1	22.4	22.2	21.6	20.9	22.4	21.7
9.	Brundamal	19.7	19.8	19.5	19.8	19.5	19.9	19.5	19.9	19.7
10.	Sripura	20.8	20.2	20.9	20.3	19.8	20.3	19.8	20.9	20.4
11.	Ghichimura	19.5	20.6	21.2	21.5	21.3	21.1	19.5	21.5	20.9
12.	Lapanga	20.2	20.5	20.8	20.1	20.2	20.5	20.1	20.8	20.4
Average		19.7	20.6	20.1	20.5	20.2	20.5	20.1	20.1	20.6





Ref: Envlab/26-27/TR-02862

Date: 07.05.2026

4. Ambient Air Quality:

i. PM₁₀ (µg/m³)

Sl. No.	Sampling Location	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Limit (24 Hours)		100								
1	Near Carbon Plant, Smelter-1	59.3	60.0	59.6	61.0	60.3	60.7	59.3	61.0	60.2
2	Near Rectifier of Expansion Pot Room	57.7	57.0	56.0	60.0	58.7	58.4	56.0	60.0	58.0
3	Near R & R colony	50.4	51.4	52.7	55.0	54.9	55.2	50.4	55.2	53.3
4	Near China Gate Weigh Bridge	58.9	59.6	60.0	60.3	60.6	59.6	58.9	60.6	59.8
5	Near Cooling Tower IPP	60.5	60.1	60.2	61.4	61.7	62.3	60.1	62.3	61.0
6	Near ETP, Smelter-1	56.8	57.6	58.2	58.9	59.7	59.8	56.8	59.8	58.5
7	Near Cast House, Smelter-1	59.0	59.6	60.0	61.4	61.5	61.6	59.0	61.6	60.5
8	Near Pot Room, Smelter-1	60.2	60.1	60.8	60.9	61.6	63.0	60.1	63.0	61.1
9	Near Coal Yard of CPP	61.7	61.6	61.9	61.8	62.0	62.4	61.6	62.4	61.9
10	Near Cooling Tower of CPP	60.3	60.6	60.8	62.1	63.1	63.6	60.3	63.6	61.8
11	Kurebaga Ash Pond	60.2	62.1	62.0	63.5	63.9	64.4	60.2	64.4	62.7
12	Siriapali Ash Pond	59.9	61.0	61.5	62.3	62.8	61.4	59.9	62.8	61.5
13	Katikela Ash Pond	59.9	59.2	59.3	61.3	62.0	61.9	59.2	62.0	60.6

ii. PM_{2.5} (µg/m³)

Sl. No.	Sampling Location	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Limit (24 Hours)		60								
1	Near Carbon Plant, Smelter-1	30.0	30.2	30.1	30.7	30.5	31.3	30.0	31.3	30.5
2	Near Rectifier of Expansion Pot Room	29.2	28.7	28.3	30.3	30.2	29.4	28.3	30.3	29.4
3	Near R & R colony	25.5	26.0	26.7	27.8	27.7	26.5	25.5	27.8	26.7
4	Near China Gate Weigh Bridge	29.7	30.1	30.6	30.4	30.5	30.1	29.7	30.6	30.2
5	Near Cooling Tower IPP	30.5	30.2	30.4	31.0	31.1	31.4	30.2	31.4	30.8
6	Near ETP, Smelter-1	28.7	28.9	29.4	29.8	30.0	30.1	28.7	30.1	29.5
7	Near Cast House, Smelter-1	29.8	30.0	30.4	31.0	29.5	28.1	28.1	31.0	29.8
8	Near Pot Room, Smelter-1	30.3	30.1	30.7	30.7	31.0	31.8	30.1	31.8	30.8
9	Near Coal Yard of CPP	31.6	30.9	31.3	31.3	31.2	31.5	30.9	31.6	31.3
10	Near Cooling Tower of CPP	30.3	30.6	30.6	31.4	31.8	32.1	30.3	32.1	31.1
11	Kurebaga Ash Pond	30.4	31.4	29.9	32.1	32.2	32.5	29.9	32.5	31.4
12	Siriapali Ash Pond	30.2	30.8	31.0	31.4	31.6	31.7	30.2	31.7	31.1
13	Katikela Ash Pond	30.3	29.8	30.4	31.0	31.2	31.1	29.8	31.2	30.6





Ref: Envlab/26-27/TR-02863

Date: 07.05.2026

iii. SO₂ (µg/m³)

Sl. No.	Sampling Location	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Limit (24 Hours)		80								
1	Near Carbon Plant, Smelter-1	20.0	20.3	21.2	22.0	21.8	21.7	20.0	22.0	21.2
2	Near Rectifier of Expansion Pot Room	22.4	22.0	22.4	23.3	22.0	21.4	21.4	23.3	22.3
3	Near R & R colony	20.7	21.3	21.8	22.1	22.3	21.8	20.7	22.3	21.7
4	Near China Gate Weigh Bridge	21.3	21.4	21.9	21.9	21.7	22.0	21.3	22.0	21.7
5	Near Cooling Tower IPP	18.8	19.0	20.2	21.1	21.8	22.2	18.8	22.2	20.5
6	Near ETP, Smelter-1	23.1	22.8	22.4	23.5	23.6	22.4	22.4	23.6	23.0
7	Near Cast House, Smelter-1	21.1	20.8	21.6	22.7	22.6	22.2	20.8	22.7	21.8
8	Near Pot Room, Smelter-1	23.5	23.7	24.3	23.9	24.0	24.4	23.5	24.4	24.0
9	Near Coal Yard of CPP	25.9	25.5	25.7	25.9	26.1	26.5	25.5	26.5	25.9
10	Near Cooling Tower of CPP	22.9	23.2	23.7	23.6	23.9	23.5	22.9	23.9	23.5
11	Kurebaga Ash Pond	22.9	23.0	23.3	23.7	23.4	22.9	22.9	23.7	23.2
12	Siriapali Ash Pond	22.3	22.6	22.9	23.4	23.5	23.7	22.3	23.7	23.1
13	Katikela Ash Pond	21.8	21.5	22.0	22.2	22.2	22.5	21.5	22.5	22.0

v. NO₂ (µg/m³)

Sl. No.	Sampling Location	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Limit (24 Hours)		80								
1	Near Carbon Plant, Smelter-1	25.4	24.4	25.4	25.7	26.0	24.7	24.4	26.0	25.3
2	Near Rectifier of Expansion Pot Room	27.7	26.5	25.8	27.6	26.9	26.5	25.8	27.7	26.8
3	Near R & R colony	24.4	24.7	25.3	25.7	25.5	24.7	24.4	25.7	25.1
4	Near China Gate Weigh Bridge	27.6	27.2	26.9	28.1	28.0	26.6	26.6	28.1	27.4
5	Near Cooling Tower IPP	22.4	21.6	22.2	22.6	23.4	23.1	21.6	23.4	22.6
6	Near ETP, Smelter-1	26.4	26.2	26.9	27.9	27.8	27.2	26.2	27.9	27.1
7	Near Cast House, Smelter-1	29.4	29.2	28.3	28.0	27.4	25.7	25.7	29.4	28.0
8	Near Pot Room, Smelter-1	27.4	27.5	29.0	28.3	27.9	27.8	27.4	29.0	28.0
9	Near Coal Yard of CPP	30.6	30.4	31.4	31.9	31.8	31.9	30.4	31.9	31.3
10	Near Cooling Tower of CPP	27.0	27.3	27.9	26.8	27.8	28.6	26.8	28.6	27.6
11	Kurebaga Ash Pond	25.4	25.3	26.5	27.4	27.2	26.9	25.3	27.4	26.5
12	Siriapali Ash Pond	25.7	26.1	26.6	26.5	26.7	27.0	25.7	27.0	26.4
13	Katikela Ash Pond	25.6	25.6	25.9	26.3	26.9	26.6	25.6	26.9	26.2





Ref: Envlab/26-27/TR-02864

Date: 07.05.2026

vi. CO (mg/m³)

Sl. No.	Sampling Location	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Limit (8 Hours)		2.0								
1	Near Carbon Plant, Smelter-1	0.57	0.55	0.59	0.60	0.58	0.56	0.55	0.60	0.58
2	Near Rectifier of Expansion Pot Room	0.53	0.53	0.56	0.54	0.55	0.53	0.53	0.56	0.54
3	Near R & R colony	0.52	0.52	0.54	0.58	0.57	0.59	0.52	0.59	0.55
4	Near China Gate Weigh Bridge	0.54	0.56	0.57	0.58	0.56	0.54	0.54	0.58	0.56
5	Near Cooling Tower IPP	0.55	0.54	0.56	0.59	0.58	0.60	0.54	0.60	0.57
6	Near ETP, Smelter-1	0.57	0.56	0.57	0.59	0.60	0.59	0.56	0.60	0.58
7	Near Cast House, Smelter-1	0.56	0.55	0.56	0.57	0.58	0.59	0.55	0.59	0.57
8	Near Pot Room, Smelter-1	0.58	0.57	0.60	0.58	0.59	0.58	0.57	0.60	0.58
9	Near Coal Yard of CPP	0.59	0.60	0.58	0.60	0.59	0.60	0.58	0.60	0.59
10	Near Cooling Tower of CPP	0.60	0.60	0.59	0.62	0.61	0.63	0.59	0.63	0.61
11	Kurebaga Ash Pond	0.58	0.59	0.61	0.59	0.57	0.58	0.57	0.61	0.59
12	Siriapali Ash Pond	0.60	0.62	0.59	0.61	0.60	0.59	0.59	0.62	0.60
13	Katikela Ash Pond	0.62	0.61	0.60	0.62	0.61	0.60	0.60	0.62	0.61

vii. Pb (µg/m³)

Sl. No.	Sampling Location	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Limit (24 Hours)		1.0								
1	Near Carbon Plant, Smelter-1	0.12	0.13	0.14	0.15	0.14	0.13	0.12	0.15	0.14
2	Near Rectifier of Expansion Pot Room	0.15	0.13	0.15	0.14	0.16	0.13	0.13	0.16	0.14
3	Near R & R colony	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4	Near China Gate Weigh Bridge	0.14	0.15	0.16	0.15	0.13	0.16	0.13	0.16	0.15
5	Near Cooling Tower IPP	0.14	0.13	0.14	0.13	0.14	0.13	0.13	0.14	0.14
6	Near ETP, Smelter-1	0.15	0.14	0.15	0.16	0.14	0.13	0.13	0.16	0.15
7	Near Cast House, Smelter-1	0.14	0.15	0.16	0.15	0.16	0.14	0.14	0.16	0.15
8	Near Pot Room, Smelter-1	0.15	0.14	0.15	0.13	0.14	0.13	0.13	0.15	0.14
9	Near Coal Yard of CPP	0.13	0.14	0.12	0.13	0.14	0.13	0.12	0.14	0.13
10	Near Cooling Tower of CPP	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
11	Kurebaga Ash Pond	0.13	0.14	0.15	0.16	0.15	0.13	0.13	0.16	0.14
12	Siriapali Ash Pond	0.15	0.14	0.16	0.15	0.14	0.16	0.14	0.16	0.15
13	Katikela Ash Pond	0.14	0.15	0.16	0.14	0.15	0.13	0.13	0.16	0.15





Ref: Envlab/26-27/TR-02865

Date: 07.05.2026

vii. As (ng/m³)

Sl. No.	Sampling Location	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Limit (24 Hours)		06								
1	Near Carbon Plant, Smelter-1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
2	Near Rectifier of Expansion Pot Room	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
3	Near R & R colony	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4	Near China Gate Weigh Bridge	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
5	Near Cooling Tower IPP	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
6	Near ETP, Smelter-1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
7	Near Cast House, Smelter-1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
8	Near Pot Room, Smelter-1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
9	Near Coal Yard of CPP	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
10	Near Cooling Tower of CPP	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
11	Kurebaga Ash Pond	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Siriapali Ash Pond	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Katikela Ash Pond	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

viii. Ni (ng/m³)

Sl. No.	Sampling Location	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Limit (24 Hours)		20								
1	Near Carbon Plant, Smelter-1	0.12	0.13	0.14	0.15	0.14	0.13	0.12	0.15	0.14
2	Near Rectifier of Expansion Pot Room	0.15	0.13	0.12	0.15	0.14	0.13	0.12	0.15	0.14
3	Near R & R colony	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4	Near China Gate Weigh Bridge	0.15	0.14	0.15	0.14	0.15	0.14	0.14	0.15	0.15
5	Near Cooling Tower IPP	0.13	0.13	0.14	0.15	0.16	0.13	0.13	0.16	0.14
6	Near ETP, Smelter-1	0.14	0.15	0.16	0.15	0.17	0.14	0.14	0.17	0.15
7	Near Cast House, Smelter-1	0.14	0.13	0.14	0.15	0.14	0.14	0.13	0.15	0.14
8	Near Pot Room, Smelter-1	0.14	0.16	0.15	0.16	0.14	0.13	0.13	0.16	0.15
9	Near Coal Yard of CPP	0.14	0.13	0.14	0.15	0.14	0.16	0.13	0.16	0.14
10	Near Cooling Tower of CPP	0.15	0.14	0.13	0.14	0.15	0.13	0.13	0.15	0.14
11	Kurebaga Ash Pond	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Siriapali Ash Pond	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Katikela Ash Pond	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL





Ref: Envlab/26-27/TR-02866

Date: 07.05.2026

ix. BaP (ng/m³)

Sl. No.	Sampling Location	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Limit (24 Hours)		01								
1	Near Carbon Plant, Smelter-1	0.13	0.14	0.15	0.15	0.16	0.14	0.13	0.16	0.15
2	Near Rectifier of Expansion Pot Room	0.13	0.12	0.13	0.13	0.14	0.13	0.12	0.14	0.13
3	Near R & R colony	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4	Near China Gate Weigh Bridge	0.13	0.14	0.15	0.14	0.16	0.14	0.13	0.16	0.14
5	Near Cooling Tower IPP	0.13	0.14	0.16	0.15	0.14	0.13	0.13	0.16	0.14
6	Near ETP, Smelter-1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
7	Near Cast House, Smelter-1	0.14	0.13	0.15	0.16	0.15	0.14	0.13	0.16	0.15
8	Near Pot Room, Smelter-1	0.14	0.15	0.13	0.15	0.14	0.13	0.13	0.15	0.14
9	Near Coal Yard of CPP	0.14	0.13	0.15	0.14	0.16	0.15	0.13	0.16	0.15
10	Near Cooling Tower of CPP	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
11	Kurebaga Ash Pond	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Siriapali Ash Pond	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Katikela Ash Pond	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

x. Benzene (µg/m³)

Sl. No.	Sampling Location	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Limit (24 Hours)		05								
1	Near Carbon Plant, Smelter-1	0.14	0.13	0.14	0.15	0.14	0.13	0.13	0.15	0.14
2	Near Rectifier of Expansion Pot Room	0.13	0.14	0.13	0.15	0.14	0.13	0.13	0.15	0.14
3	Near R & R colony	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4	Near China Gate Weigh Bridge	0.14	0.12	0.15	0.14	0.16	0.15	0.12	0.16	0.14
5	Near Cooling Tower IPP	0.13	0.15	0.16	0.15	0.14	0.15	0.13	0.16	0.15
6	Near ETP, Smelter-1	0.12	0.14	0.15	0.14	0.15	0.13	0.12	0.15	0.14
7	Near Cast House, Smelter-1	0.13	0.14	0.16	0.15	0.14	0.13	0.13	0.16	0.14
8	Near Pot Room, Smelter-1	0.14	0.12	0.13	0.14	0.13	0.12	0.12	0.14	0.13
9	Near Coal Yard of CPP	0.14	0.15	0.14	0.16	0.14	0.13	0.13	0.16	0.14
10	Near Cooling Tower of CPP	0.13	0.14	0.15	0.16	0.15	0.14	0.13	0.16	0.15
11	Kurebaga Ash Pond	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Siriapali Ash Pond	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Katikela Ash Pond	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL





Ref: Envlab/26-27/TR-02867

Date: 07.05.2026

xi. NH₃ (µg/m₃)

Sl. No.	Sampling Location	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Limit (24 Hours)		400								
1	Near Carbon Plant, Smelter-1	22.3	22.4	21.7	21.5	21.3	21.1	21.1	22.4	21.7
2	Near Rectifier of Expansion Pot Room	21.7	21.6	21.6	21.7	21.8	21.4	21.4	21.8	21.6
3	Near R & R colony	20.9	21.0	20.5	20.6	21.6	21.7	20.5	21.7	21.1
4	Near China Gate Weigh Bridge	21.6	21.2	21.5	21.4	21.3	21.5	21.2	21.6	21.4
5	Near Cooling Tower IPP	21.3	21.4	21.5	21.3	20.3	20.4	20.3	21.5	21.0
6	Near ETP, Smelter-1	23.4	24.9	24.3	24.1	23.8	23.1	23.1	24.9	23.9
7	Near Cast House, Smelter-1	22.2	22.0	22.4	22.0	21.9	21.7	21.7	22.4	22.0
8	Near Pot Room, Smelter-1	21.7	22.5	22.3	22.1	22.2	22.3	21.7	22.5	22.2
9	Near Coal Yard of CPP	23.6	23.9	24.5	24.2	23.8	23.0	23.0	24.5	23.8
10	Near Cooling Tower of CPP	21.0	21.2	21.6	21.5	22.1	21.9	21.0	22.1	21.6
11	Kurebaga Ash Pond	21.0	21.4	21.2	21.9	22.0	22.2	21.0	22.2	21.6
12	Siriapali Ash Pond	21.3	21.1	22.3	22.5	21.5	21.7	21.1	22.5	21.7
13	Katikela Ash Pond	21.0	21.7	20.4	20.6	20.5	20.7	20.4	21.7	20.8

xii. Ozone (µg/m³)

Sl. No.	Sampling Location	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
Limit (8 Hours)		100								
1	Near Carbon Plant, Smelter-1	6.3	6.2	6.5	6.5	6.6	6.4	6.2	6.6	6.4
2	Near Rectifier of Expansion Pot Room	6.4	6.2	6.4	6.5	6.3	6.5	6.2	6.5	6.4
3	Near R & R colony	6.3	6.2	6.4	6.5	6.6	6.3	6.2	6.6	6.4
4	Near China Gate Weigh Bridge	6.4	6.3	6.7	6.6	6.7	6.5	6.3	6.7	6.5
5	Near Cooling Tower IPP	6.8	6.3	6.8	6.6	6.5	6.3	6.3	6.8	6.6
6	Near ETP, Smelter-1	5.7	6.1	6.0	6.2	6.4	6.3	5.7	6.4	6.1
7	Near Cast House, Smelter-1	6.0	6.3	6.4	6.3	6.4	6.3	6.0	6.4	6.3
8	Near Pot Room, Smelter-1	6.7	6.5	6.8	6.6	6.9	6.7	6.5	6.9	6.7
9	Near Coal Yard of CPP	6.4	6.3	6.5	6.4	6.6	6.5	6.3	6.6	6.5
10	Near Cooling Tower of CPP	6.7	6.5	6.8	6.5	6.3	6.5	6.3	6.8	6.6
11	Kurebaga Ash Pond	6.3	6.6	6.7	6.5	6.4	6.5	6.3	6.7	6.5
12	Siriapali Ash Pond	6.0	6.3	6.4	6.5	6.4	6.6	6.0	6.6	6.4
13	Katikela Ash Pond	6.2	6.2	6.4	6.3	6.4	6.5	6.2	6.5	6.3





Ref: Envlab/26-27/TR-02868

Date: 07.05.2026

5. Noise:

i. Day Time (6.00 a.m. to 10.00 p.m.)

Sl. No.	Sampling Location	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
1	In R & R colony	55	53.6	54.0	54.5	54.1	54.3	54.0	53.6	54.5	54.1
2	Near Boiler of IPP	75	74.4	74.5	74.0	73.8	72.9	73.1	72.9	74.5	73.8
3	In Green Anode Plant	75	73.5	72.9	73.1	72.9	73.1	73.5	72.9	73.5	73.2
4	In Cast house - Smelter 1	75	72.8	72.5	72.2	71.6	72.2	71.8	71.6	72.8	72.2
5	Near Boiler of CPP	75	73.9	73.6	73.5	73.3	73.0	73.2	73.0	73.9	73.4
6	In Pot Room - Smelter 1	75	71.8	71.5	71.1	70.8	71.1	70.6	70.6	71.8	71.2

ii. Night Time (10.00 p.m. to 6.00 a.m.)

Sl. No.	Sampling Location	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
1	In R & R colony	45	44.0	44.2	44.5	44.3	44.6	44.2	44.0	44.6	44.3
2	Near Boiler of IPP	70	67.5	67.9	67.6	67.1	66.9	66.3	66.3	67.9	67.2
3	In Green Anode Plant	70	66.8	66.5	66.2	65.8	65.5	65.0	65.0	66.8	66.0
4	In Cast house - Smelter 1	70	65.9	64.8	64.3	64.6	64.9	64.2	64.2	65.9	64.8
5	Near Boiler of CPP	70	68.9	69.1	68.9	69.1	68.6	67.9	67.9	69.1	68.8
6	In Pot Room - Smelter 1	70	67.2	66.8	66.0	65.4	66.3	65.8	65.4	67.2	66.3





Ref: Envlab/26-27/TR-02869

Date: 07.05.2026

6. Water:

a) Smelter-1 ETP Outlet:

Sl. No.	Parameters	Unit	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
1	pH	-	6.5-9.0	7.24	7.26	7.28	7.22	7.25	7.22	7.2	7.3	7.2
2	Total Suspended Solids	mg/l	100	32	30	32	35	32	30	30.0	35.0	31.8
3	Total Dissolved Solids	mg/l	2100	148	145	141	138	131	127	127	148	138
4	BOD (5 days at 20°C)	mg/l	30	13.4	12.9	12.2	12	12.5	12.2	12.0	13.4	12.5
5	COD	mg/l	250	52	50	48	45	48	45	45.0	52.0	48.0
6	Fluoride	mg/l	1.5	0.7	0.72	0.7	0.74	0.77	0.75	0.7	0.8	0.7
7	Oil and Grease	mg/l	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
8	Hexavalent chromium as Cr+6	mg/l	0.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
9	Total Chromium	mg/l	2	0.040	0.036	0.033	0.036	0.033	0.032	0.0	0.0	0.0
10	Cyanide	mg/l	0.2	ND	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
11	Free ammonia	mg/l	5	BDL	ND	ND	ND	ND	ND	ND	ND	ND
12	Total Nitrogen	mg/l	100	7.2	7.0	6.9	6.6	6.2	6.0	6.0	7.2	6.7

b) Smelter-2 ETP Outlet:

Sl. No.	Parameters	Unit	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
1	pH	-	7.30	7.30	7.33	7.38	7.39	7.36	7.31	7.3	7.4	7.3
2	Total Suspended Solids	mg/l	35	35	32	35	31	33	32	31.0	35.0	33.0
3	Total Dissolved Solids	mg/l	285	285	281	278	285	280	275	275.0	285.0	280.7
4	BOD (5 days at 20°C)	mg/l	12.1	12.1	11.8	11.2	10.8	11.2	11	10.8	12.1	11.4
5	COD	mg/l	48	48	44	45	42	45	42	42.0	48.0	44.3
6	Fluoride	mg/l	0.85	0.85	0.82	0.81	0.78	0.72	0.69	0.7	0.9	0.8
7	Oil and Grease	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
8	Hexavalent chromium as Cr+6	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
9	Total Chromium	mg/l	0.043	0.043	0.045	0.048	0.045	0.042	0.041	0.0	0.0	0.0
10	Cyanide	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
11	Free ammonia	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
12	Total Nitrogen	mg/l	6.6	6.6	6.8	6.6	6.3	6.0	6.2	6.0	6.8	6.4

c) CPP ETP Outlet:

Sl. No.	Parameters	Unit	Limit	Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
1	pH	-	6.5-9.0	7.24	7.22	7.25	7.30	7.27	7.3	7.2	7.3	7.3
2	Suspended Solids	mg/l	100	32	30	28	26	28	25	25	32	28
3	Total Dissolved Solids	mg/l	2100*	235	236	231	224	233	228	224	236	231
4	Oil and Grease	mg/l	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
5	Phosphate	mg/l	5.0	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
6	Chromium	mg/l	2.0	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
7	Copper	mg/l	3.0	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
8	Zinc	mg/l	5.0	0.14	0.15	0.13	0.15	0.16	0.18	0.13	0.18	0.15





Ref: Envlab/26-27/TR- 02870

Date: 07.05.2026

d) Surface Water:

Sampling location: SW1- Upstream of Bheden River

Sl. No.	Parameter	Unit	SW1								
			Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
1	Colour	Hazen	10	10	10	10	10	10	10.0	10.0	10.0
2	pH	--	7.30	7.26	7.32	7.30	7.33	7.35	7.3	7.4	7.3
3	DO	mg/l	5.1	5	5.1	5	4.9	4.8	4.8	5.1	5.0
4	Chloride	mg/l	22.5	27.5	23	20	25	23	20.0	27.5	23.3
5	Total Dissolved solids	mg/l	218	209	213	220	216	223	209	223	216.5
6	Suspended solids	mg/l	59	56	54	56	58	60	54.0	60.0	57.2
7	Oil & Grease	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND
8	BOD (5) days at 20 ^o C	mg/l	1.7	1.8	1.6	1.7	1.8	1.9	1.6	1.9	1.8
9	Arsenic as As	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
10	Lead as Pb	mg/l	0.029	0.025	0.028	0.026	0.024	0.025	0.0	0.0	0.0
11	Cadmium as Cd	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Hexachromium as Cr ⁺⁶	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Copper as Cu	mg/l	0.018	0.016	0.018	0.016	0.018	0.020	0.0	0.0	0.0
14	Zinc as Zn	mg/l	0.18	0.2	0.22	0.24	0.26	0.23	0.2	0.3	0.2
15	Selenium as Se	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
16	Cyanide as CN	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
17	Fluoride as F	mg/l	0.27	0.25	0.22	0.20	0.22	0.25	0.2	0.3	0.2
18	Sulphate as (SO ₄)	mg/l	10.8	11.6	11.2	12.8	13.4	12.5	10.8	13.4	12.1
19	Phenolic compounds as C ₆ H ₅ OH	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Iron as Fe	mg/l	0.33	0.31	0.33	0.32	0.35	0.32	0.3	0.4	0.3
21	Nitrate as NO ₃	mg/l	1.22	1.3	1.28	1.25	1.28	1.25	1.2	1.3	1.3
22	Anionic Detergents	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND
23	Total Coliform	MPN/100ml	110	120	110	120	110	140	110.0	140.0	118.3





Ref: Envlab/26-27/TR- 02871

Date: 07.05.2026

Surface Water: Continued.

Sampling location: SW2- Downstream of Bheden River

Sl.No.	Parameter	Unit	SW2								
			Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
1	Colour	Hazen	20	15	15	15	15	15	15.0	20.0	15.8
2	pH	--	7.41	7.45	7.41	7.44	7.45	7.4	7.4	7.5	7.4
3	DO	mg/l	5.5	5.4	5.5	5.4	5.3	5.2	5.2	5.5	5.4
4	Chloride	mg/l	20.0	30.0	25	28	28	25	20.0	30.0	25.8
5	Total Dissolved solids	mg/l	219	215	220	216	223	230	215.0	230.0	220.5
6	Suspended solids	mg/l	62	60	63	60	63	68	60.0	68.0	62.7
7	Oil & Grease	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND
8	BOD (5) days at 20 ⁰ C	mg/l	1.6	1.7	1.8	1.9	2	2.1	1.6	2.1	1.9
9	Arsenic as As	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
10	Lead as Pb	mg/l	0.028	0.026	0.030	0.033	0.030	0.027	0.0	0.0	0.0
11	Cadmium as Cd	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Hexachromium as Cr ⁺⁶	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Copper as Cu	mg/l	0.017	0.019	0.021	0.023	0.022	0.024	0.0	0.0	0.0
14	Zinc as Zn	mg/l	0.2	0.22	0.2	0.23	0.22	0.2	0.2	0.2	0.2
15	Selenium as Se	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
16	Cyanide as CN	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
17	Fluoride as F	mg/l	0.3	0.33	0.31	0.32	0.35	0.32	0.3	0.4	0.3
18	Sulphate as (SO4)	mg/l	12.4	12	12.8	12.2	12.5	11.4	11.4	12.8	12.2
19	Phenolic compounds as C ₆ H ₅ OH	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Iron as Fe	mg/l	0.41	0.43	0.42	0.4	0.41	0.4	0.4	0.4	0.4
21	Nitrate as NO ₃	mg/l	1.34	1.41	1.39	1.35	1.33	1.30	1.3	1.4	1.4
22	Anionic Detergents	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND
23	Total Coliform	MPN/100ml	140	150	120	150	170	180	120.0	180.0	151.7





Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Ref: Envlab/26-27/TR- 02872

Date: 07.05.2026

Surface Water: Continued.

Sampling location: SW3- Upstream of Kharkhari Nallah

Sl.No.	Parameter	Unit	SW3							Min	Max	Avg
			Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26				
1	Colour	Hazen	15	10	10	10	10	10	10.0	15.0	10.8	
2	pH	--	6.92	6.98	6.95	6.98	6.94	6.98	6.9	7.0	7.0	
3	DO	mg/l	5.3	5.2	5.1	5	4.9	4.8	4.8	5.3	5.1	
4	Chloride	mg/l	25	27.5	30.0	32.5	28.5	28	25.0	32.5	28.5	
5	Total Dissolved solids	mg/l	212	208	205	212	215	218	205.0	218.0	211.7	
6	Suspended solids	mg/l	62	58	55	58	56	60	55.0	62.0	58.2	
7	Oil & Grease	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND	
8	BOD (5) days at 20 ⁰ C	mg/l	1.8	1.9	1.8	1.9	2	2.1	1.8	2.1	1.9	
9	Arsenic as As	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
10	Lead as Pb	mg/l	0.018	0.015	0.019	0.021	0.024	0.022	0.0	0.0	0.0	
11	Cadmium as Cd	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
12	Hexachromium as Cr ⁺⁶	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
13	Copper as Cu	mg/l	0.015	0.012	0.016	0.014	0.015	0.017	0.0	0.0	0.0	
14	Zinc as Zn	mg/l	0.16	0.18	0.16	0.14	0.16	0.19	0.1	0.2	0.2	
15	Selenium as Se	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
16	Cyanide as CN	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
17	Fluoride as F	mg/l	0.31	0.33	0.29	0.32	0.31	0.29	0.3	0.3	0.3	
18	Sulphate as (SO ₄)	mg/l	15.9	15.2	14.9	14.2	14	14.8	14.0	15.9	14.8	
19	Phenolic compounds as C ₆ H ₅ OH	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
20	Iron as Fe	mg/l	0.32	0.34	0.30	0.36	0.33	0.36	0.3	0.4	0.3	
21	Nitrate as NO ₃	mg/l	1.77	1.69	1.66	1.40	1.45	1.44	1.4	1.8	1.6	
22	Anionic Detergents	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND	
23	Total Coliform	MPN/100ml	150	150	120	110	120	110	110.0	150.0	126.7	





Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Ref: Envlab/26-27/TR- 02873

Date: 07.05.2026

Surface Water: Continued.

Sampling location: SW4- Downstream of Kharkhari Nalla

Sl.No.	Parameter	Unit	SW4								
			Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
1	Colour	Hazen	20	15	15	15	15	15	15.0	20.0	15.8
2	pH	--	6.98	7.00	7.1	7.14	7.12	7.22	7.0	7.2	7.1
3	DO	mg/l	5.4	5.3	5.2	5.1	5	4.9	4.9	5.4	5.2
4	Chloride	mg/l	35.0	30.0	35.0	30.0	33.5	30.0	30.0	35.0	32.3
5	Total Dissolved solids	mg/l	208	213	221	229	221	226	208.0	229.0	219.7
6	Suspended solids	mg/l	63	67	62	65	68	72	62.0	72.0	66.2
7	Oil & Grease	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND
8	BOD (5) days at 20 ^o C	mg/l	1.9	1.8	1.7	1.8	1.9	2	1.7	2.0	1.9
9	Arsenic as As	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
10	Lead as Pb	mg/l	0.017	0.016	0.021	0.022	0.021	0.019	0.0	0.0	0.0
11	Cadmium as Cd	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Hexachromium as Cr ⁺⁶	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Copper as Cu	mg/l	0.020	0.17	0.18	0.16	0.013	0.015	0.0	0.2	0.1
14	Zinc as Zn	mg/l	0.18	0.20	0.23	0.25	0.24	0.22	0.2	0.3	0.2
15	Selenium as Se	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
16	Cyanide as CN	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
17	Fluoride as F	mg/l	0.35	0.32	0.3	0.27	0.29	0.28	0.3	0.4	0.3
18	Sulphate as (SO ₄)	mg/l	18.2	17.8	18.5	18.9	19.3	19.5	17.8	19.5	18.7
19	Phenolic compounds as C ₆ H ₅ OH	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Iron as Fe	mg/l	0.30	0.33	0.31	0.38	0.36	0.35	0.3	0.4	0.3
21	Nitrate as NO ₃	mg/l	2.1	2.00	2.1	2.20	2.1	2.15	2.0	2.2	2.1
22	Anionic Detergents	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND
23	Total Coliform	MPN/100ml	210	180	150	200	210	200	150.0	210.0	191.7





Ref: Envlab/26-27/TR-02874

Date: 07.05.2026

Surface Water: Continued.

Sampling location: SW5- Upstream Hirakud Reservoir

Sl.No.	Parameter	Unit	SW5								
			Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
1	Colour	Hazen	5	5	5	5	5	5	5.0	5.0	5.0
2	pH	--	7.11	7.12	7.1	7.18	7.2	7.25	7.1	7.3	7.2
3	DO	mg/l	5.8	5.7	5.8	5.7	5.6	5.5	5.5	5.8	5.7
4	Chloride	mg/l	27.5	22.5	25.0	22.5	27.5	25.0	22.5	27.5	25.0
5	Total Dissolved solids	mg/l	190	195	200	208	213	218	190.0	218.0	204.0
6	Suspended solids	mg/l	72	68	66	69	65	68	65.0	72.0	68.0
7	Oil & Grease	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND
8	BOD (5) days at 20 ^o C	mg/l	1.6	1.7	1.6	1.7	1.8	1.9	1.6	1.9	1.7
9	Arsenic as As	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
10	Lead as Pb	mg/l	0.015	0.014	0.016	0.018	0.016	0.02	0.0	0.0	0.0
11	Cadmium as Cd	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Hexachromium as Cr ⁺⁶	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Copper as Cu	mg/l	0.017	0.015	0.012	0.014	0.012	0.014	0.0	0.0	0.0
14	Zinc as Zn	mg/l	0.15	0.17	0.15	0.18	0.19	0.21	0.2	0.2	0.2
15	Selenium as Se	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
16	Cyanide as CN	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
17	Fluoride as F	mg/l	0.34	0.31	0.32	0.35	0.36	0.31	0.3	0.4	0.3
18	Sulphate as (SO ₄)	mg/l	13.2	12.9	13.3	13.6	13.8	13.3	12.9	13.8	13.4
19	Phenolic compounds as C ₆ H ₅ OH	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Iron as Fe	mg/l	0.35	0.38	0.35	0.36	0.39	0.37	0.4	0.4	0.4
21	Nitrate as NO ₃	mg/l	1.68	1.70	1.50	1.43	1.46	1.42	1.4	1.7	1.5
22	Anionic Detergents	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND
23	Total Coliform	MPN/100ml	150	170	150	180	170	180	150.0	180.0	166.7





Ref: Envlab/26-27/TR-02875

Date: 07.05.2026

Surface Water: Continued.

Sampling location: SW6- Downstream of Hirakud Reservoir

Sl.No.	Parameter	Unit	SW6								
			Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
1	Colour	Hazen	10	10	10	10	10	10	10.0	10.0	10.0
2	pH	--	7.35	7.40	7.45	7.39	7.36	7.31	7.3	7.5	7.4
3	DO	mg/l	5.5	5.4	5.5	5.4	5.3	5.2	5.2	5.5	5.4
4	Chloride	mg/l	22.5	25.0	27.5	25.0	28.5	27.5	22.5	28.5	26.0
5	Total Dissolved solids	mg/l	211	206	212	223	230	235	206.0	235.0	219.5
6	Suspended solids	mg/l	60	58	59	63	66	70	58.0	70.0	62.7
7	Oil & Grease	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND
8	BOD (5) days at 20 ⁰ C	mg/l	1.7	1.8	1.7	1.8	1.9	2	1.7	2.0	1.8
9	Arsenic as As	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
10	Lead as Pb	mg/l	0.017	0.015	0.019	0.016	0.015	0.018	0.0	0.0	0.0
11	Cadmium as Cd	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Hexachromium as Cr ⁺⁶	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Copper as Cu	mg/l	0.014	0.012	0.016	0.019	0.018	0.02	0.0	0.0	0.0
14	Zinc as Zn	mg/l	0.19	0.16	0.18	0.17	0.16	0.18	0.2	0.2	0.2
15	Selenium as Se	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
16	Cyanide as CN	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
17	Fluoride as F	mg/l	0.35	0.32	0.33	0.3	0.32	0.3	0.3	0.4	0.3
18	Sulphate as (SO ₄)	mg/l	16.2	15.8	16.1	15.8	16.2	15.8	15.8	16.2	16.0
19	Phenolic compounds as C ₆ H ₅ OH	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Iron as Fe	mg/l	0.37	0.38	0.36	0.34	0.36	0.32	0.3	0.4	0.4
21	Nitrate as NO ₃	mg/l	1.8	1.85	1.75	1.69	1.74	1.70	1.7	1.9	1.8
22	Anionic Detergents	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND
23	Total Coliform	MPN/100ml	200	180	170	200	220	210	170.0	220.0	196.7





Ref: Envlab/26-27/TR- 02876

Date: 07.05.2026

Surface Water: Continued.

Sampling location: SW7- Confluence point near Kherual bridge

Sl.No.	Parameter	Unit	SW7								
			Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Min	Max	Avg
1	Colour	Hazen	15	15	15	15	15	15	15.0	15.0	15.0
2	pH	--	7.13	7.21	7.26	7.22	7.25	7.28	7.1	7.3	7.2
3	DO	mg/l	5.5	5.4	5.3	5.2	5.1	5.0	5.0	5.5	5.3
4	Chloride	mg/l	30.0	35.0	30.0	25.0	27.5	25.0	25.0	35.0	28.8
5	Total Dissolved solids	mg/l	206	200	208	216	221	229	200.0	229.0	213.3
6	Suspended solids	mg/l	68	65	70	72	74	75	65.0	75.0	70.7
7	Oil & Grease	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND
8	BOD (5) days at 20 ^o C	mg/l	1.6	1.7	1.6	1.7	1.8	1.9	1.6	1.9	1.7
9	Arsenic as As	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
10	Lead as Pb	mg/l	0.020	0.022	0.024	0.021	0.023	0.025	0.0	0.0	0.0
11	Cadmium as Cd	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
12	Hexachromium as Cr ⁺⁶	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Copper as Cu	mg/l	0.018	0.015	0.020	0.023	0.026	0.023	0.0	0.0	0.0
14	Zinc as Zn	mg/l	0.20	0.21	0.22	0.2	0.23	0.25	0.2	0.3	0.2
15	Selenium as Se	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
16	Cyanide as CN	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
17	Fluoride as F	mg/l	0.32	0.30	0.34	0.31	0.33	0.29	0.3	0.3	0.3
18	Sulphate as (SO ₄)	mg/l	15.9	16.4	16.8	16.3	16.5	16.2	15.9	16.8	16.4
19	Phenolic compounds as C ₆ H ₅ OH	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Iron as Fe	mg/l	0.34	0.36	0.38	0.35	0.38	0.35	0.3	0.4	0.4
21	Nitrate as NO ₃	mg/l	1.92	1.9	1.85	1.8	1.88	1.82	1.8	1.9	1.9
22	Anionic Detergents	mg/l	ND	ND	ND	ND	ND	ND	ND	ND	ND
23	Total Coliform	MPN/100ml	220	210	200	220	240	280	200.0	280.0	228.3





Ref: Envlab/26-27/TR-02877

Date: 07.05.2026

e) Ground Water - Village Area:

Sl. No	Parameter	Unit	Standard as per IS: 10500	GW1		GW2	
				Oct'25	Jan'26	Oct'25	Jan'26
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity	NTU	1	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	7.12	7.18	7.12	7.2
6	Total Hardness (as CaCO ₃)	mg/l	200	140	154	107	112
7	Iron (as Fe)	mg/l	1	0.38	0.35	0.4	0.41
8	Chloride (as Cl)	mg/l	250	37.5	36.6	40	42.5
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	300	313	248	256
11	Calcium (as Ca)	mg/l	75	36.9	37.4	38.6	39.2
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	BDL	BDL	BDL	BDL
14	Sulphate as (SO ₄)	mg/l	200	18.8	18	13.6	14.5
15	Nitrate (as NO ₃)	mg/l	45	1.23	1.28	1.26	1.3
16	Fluoride (as F)	mg/l	1	0.35	0.33	0.32	0.3
17	Phenolic compounds as C ₆ H ₅ OH	mg/l	0.001	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.38	0.33	0.4	0.44
26	Chromium as (Cr ⁺⁶)	mg/l	0.05	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND
28	Alkalinity	mg/l	200	30	35	55	50
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL

Sampling Location: GW1 - Gudigaon Village

GW2 - Kurebaga Village





Ref: Envlab/26-27/TR-02878

Date: 07.05.2026

Ground Water - Village Area: Continued.

Sl. No	Parameter	Unit	Standard as per IS: 10500	GW3		GW4	
				Oct'25	Jan'26	Oct'25	Jan'26
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity	NTU	1	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	7.22	7.29	7	7.1
6	Total Hardness (as CaCO ₃)	mg/l	200	125	136	142	131
7	Iron (as Fe)	mg/l	1	0.35	0.33	0.42	0.40
8	Chloride (as Cl)	mg/l	250	35	37.5	37.5	35
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	285	291	291	278
11	Calcium (as Ca)	mg/l	75	40.5	40.1	39.6	38.4
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	BDL	BDL	BDL	BDL
14	Sulphate as (SO ₄)	mg/l	200	15.9	16.6	16.2	16.8
15	Nitrate (as NO ₃)	mg/l	45	1.50	1.54	1.69	1.71
16	Fluoride (as F)	mg/l	1	0.26	0.22	0.35	0.32
17	Phenolic compounds as C ₆ H ₅ OH	mg/l	0.001	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.42	0.45	0.36	0.32
26	Chromium as (Cr ⁺⁶)	mg/l	0.05	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND
28	Alkalinity	mg/l	200	45	40	40	45
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL

Sampling Location: GW3- Sriapali Village

GW4- Katapali Village





Ref: Envlab/26-27/TR-02879

Date: 07.05.2026

Ground Water - Village Area: Continued.

Sl. No	Parameter	Unit	Standard as per IS: 10500	GW5		GW6	
				Oct'25	Jan'26	Oct'25	Jan'26
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity	NTU	1	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	7.2	7.31	7.1	7.11
6	Total Hardness (as CaCO ₃)	mg/l	200	148	142	90	84
7	Iron (as Fe)	mg/l	1	0.4	0.43	0.38	0.35
8	Chloride (as Cl)	mg/l	250	35	30	35	35
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	248	255	230	224
11	Calcium (as Ca)	mg/l	75	43.8	42.5	34.4	35.1
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	BDL	BDL	BDL	BDL
14	Sulphate as (SO ₄)	mg/l	200	15.4	14.2	14.4	13.9
15	Nitrate (as NO ₃)	mg/l	45	1.68	1.65	1.35	1.29
16	Fluoride (as F)	mg/l	1	0.32	0.3	0.34	0.31
17	Phenolic compounds as C ₆ H ₅ OH	mg/l	0.001	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.34	0.30	0.41	0.38
26	Chromium as (Cr ⁶⁺)	mg/l	0.05	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND
28	Alkalinity	mg/l	200	50	55	45	40
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL

Sampling Location: GW5- Katikela Village

GW6- Bhurkamunda Village



Reviewed By



Approved By



Ref: Envlab/26-27/TR-02880

Date: 07.05.2026

Ground Water - Village Area: Continued.

Sl. No	Parameter	Unit	Standard as per IS: 10500	GW7		GW8	
				Oct'25	Jan'26	Oct'25	Jan'26
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity	NTU	1	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	7.1	7.19	7.12	7.22
6	Total Hardness (as CaCO ₃)	mg/l	200	88	79	98	90
7	Iron (as Fe)	mg/l	1	0.32	0.3	0.42	0.45
8	Chloride (as Cl)	mg/l	250	42.5	47	40	43
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	207	213	248	252
11	Calcium (as Ca)	mg/l	75	31.1	29.8	32.2	32.9
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	BDL	BDL	BDL	BDL
14	Sulphate as (SO ₄)	mg/l	200	14.5	15.2	16.8	16.6
15	Nitrate (as NO ₃)	mg/l	45	1.55	1.51	1.51	1.47
16	Fluoride (as F)	mg/l	1	0.30	0.28	0.36	0.33
17	Phenolic compounds as C ₆ H ₅ OH	mg/l	0.001	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.45	0.42	0.42	0.40
26	Chromium as (Cr ⁶⁺)	mg/l	0.05	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND
28	Alkalinity	mg/l	200	45	40	50	55
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL

Sampling Location: GW7- R & R Colony Village

GW8- Tumbakela Village





Ref: Envlab/26-27/TR-02881

Date: 07.05.2026

Ground Water – Village Area: Continued.

Sl. No	Parameter	Unit	Standard as per IS: 10500	GW9		GW10	
				Oct'25	Jan'26	Oct'25	Jan'26
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity	NTU	1	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	7.25	7.32	7.2	7.12
6	Total Hardness (as CaCO ₃)	mg/l	200	85	78	102	92
7	Iron (as Fe)	mg/l	1	0.33	0.38	0.33	0.3
8	Chloride (as Cl)	mg/l	250	45	47	35	37
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	263	256	281	278
11	Calcium (as Ca)	mg/l	75	33.6	34.1	35	34.5
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	BDL	BDL	BDL	BDL
14	Sulphate as (SO ₄)	mg/l	200	16.0	15.2	18.8	19.1
15	Nitrate (as NO ₃)	mg/l	45	1.41	1.36	1.48	1.42
16	Fluoride (as F)	mg/l	1	0.40	0.43	0.33	0.35
17	Phenolic compounds as C ₆ H ₅ OH	mg/l	0.001	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.47	0.45	0.42	0.44
26	Chromium as (Cr ⁺⁶)	mg/l	0.05	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND
28	Alkalinity	mg/l	200	55	50	55	50
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL

Sampling Location: GW9- Brundamal Village

GW10-Sripura Village





Ref: Envlab/26-27/TR-02882

Date: 07.05.2026

f) Ground Water - Secured Land Fill (SLF) Area:

Sl. No	Parameter	Unit	Standard as per IS:10500	GW1								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	6.67	6.70	6.78	6.81	6.85	6.90	6.67	6.90	6.79
6	Total Hardness (as CaCO ₃)	mg/l	200	75	72	68	65	68	66	65.0	75.0	69.0
7	Iron (as Fe)	mg/l	1	0.35	0.32	0.35	0.33	0.35	0.32	0.32	0.35	0.34
8	Chloride (as Cl)	mg/l	250	25	22.5	20	22.5	20	25	20.0	25.0	22.5
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	244	238	241	248	253	246	238.0	253.0	245.0
11	Calcium (as Ca)	mg/l	75	23.6	22.9	21.8	21.6	22.2	21.6	21.6	23.6	22.3
12	Copper (as Cu)	mg/l	0.05	0.034	0.032	0.03	0.033	0.035	0.032	0.030	0.035	0.033
13	Manganese (as Mn)	mg/l	0.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
14	Sulphate as (SO ₄)	mg/l	200	12	11.7	12	12.4	11.9	12.4	11.7	12.4	12.1
15	Nitrate (as NO ₃)	mg/l	45	1.26	1.3	1.25	1.22	1.28	1.25	1.22	1.30	1.26
16	Fluoride (as F)	mg/l	1	0.35	0.31	0.33	0.31	0.32	0.33	0.31	0.35	0.33
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.3	0.26	0.24	0.25	0.22	0.24	0.22	0.30	0.25
26	Chromium as (Cr ^{VI})	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
28	Alkalinity	mg/l	200	55	50	45	40	45	40	40.0	55.0	45.8
29	Aluminium as Al	mg/l	0.03	0.025	0.021	0.024	0.025	0.022	0.025	0.021	0.025	0.024
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Sampling Location GW1 - Secured landfill Bore well (East)



Sample No. P/26/24



Ref: Envlab/26-27/TR- 02883

Date: 07.05.2026

Ground Water - Secured Land Fill (SLF) Area: Continued.

Sl. No	Parameter	Unit	Standard as per IS:10500	GW2								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	6.92	6.95	6.9	6.92	6.90	6.93	6.90	6.95	6.92
6	Total Hardness (as CaCO ₃)	mg/l	200	88	85	80	82	85	80	80.0	88.0	83.3
7	Iron (as Fe)	mg/l	1	0.38	0.35	0.37	0.31	0.33	0.3	0.30	0.38	0.34
8	Chloride (as Cl)	mg/l	250	28	25	22.5	25	27	23	22.5	27.5	24.9
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	250	245	250	262	266	270	245.0	270.0	257.2
11	Calcium (as Ca)	mg/l	75	36.8	35.4	33.8	34.1	34.5	33.8	33.8	36.8	34.7
12	Copper (as Cu)	mg/l	0.05	0.032	0.030	0.028	0.025	0.028	0.025	0.025	0.032	0.028
13	Manganese (as Mn)	mg/l	0.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
14	Sulphate as (SO ₄)	mg/l	200	13.5	13.2	13.8	13.2	13.5	13	13.0	13.8	13.4
15	Nitrate (as NO ₃)	mg/l	45	1.40	1.35	1.31	1.36	1.33	1.36	1.31	1.40	1.35
16	Fluoride (as F)	mg/l	1	0.32	0.3	0.28	0.25	0.28	0.25	0.25	0.32	0.28
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.32	0.30	0.32	0.34	0.35	0.32	0.30	0.35	0.33
26	Chromium as (Cr ⁺⁶)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
28	Alkalinity	mg/l	200	40	45	40	45	50	45	40.0	50.0	44.2
29	Aluminium as Al	mg/l	0.03	0.021	0.022	0.025	0.028	0.026	0.027	0.021	0.028	0.025
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Sampling Location: GW2 - Secured landfill Bore well (West)





Ref: Envlab/26-27/TR-02884

Date: 07.05.2026

Ground Water - Secured Land Fill (SLF) Area: Continued.

Sl. No	Parameter	Unit	Standard as per IS:10500	GW3								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	7.16	7.21	7.22	7.2	7.23	7.21	7.16	7.23	7.21
6	Total Hardness (as CaCO ₃)	mg/l	200	96	92	89	86	90	85	85.0	96.0	89.7
7	Iron (as Fe)	mg/l	1	0.39	0.36	0.38	0.33	0.35	0.38	0.33	0.39	0.37
8	Chloride (as Cl)	mg/l	250	32	30	30	32.5	30	32.5	30.0	32.5	31.2
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	321	313	316	320	324	319	313.0	324.0	318.8
11	Calcium (as Ca)	mg/l	75	38.8	37	35.6	35	35.6	36.2	35.0	38.8	36.4
12	Copper (as Cu)	mg/l	0.05	0.04	0.036	0.033	0.031	0.035	0.036	0.031	0.040	0.035
13	Manganese (as Mn)	mg/l	0.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
14	Sulphate as (SO ₄)	mg/l	200	16.8	16.0	15.9	15.6	16	15.9	15.6	16.8	16.0
15	Nitrate (as NO ₃)	mg/l	45	1.43	1.4	1.36	1.38	1.41	1.45	1.36	1.45	1.41
16	Fluoride (as F)	mg/l	1	0.4	0.36	0.33	0.3	0.33	0.35	0.30	0.40	0.35
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.41	0.35	0.32	0.35	0.36	0.35	0.32	0.41	0.36
26	Chromium as (Cr ^{VI})	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
28	Alkalinity	mg/l	200	52	55	50	55	55.0	55	50.0	55.0	53.7
29	Aluminium as Al	mg/l	0.03	0.026	0.029	0.028	0.029	0.027	0.028	0.026	0.029	0.028
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Sampling Location: GW3 - Secured landfill Bore well (North)





Ref: Envlab/26-27/TR- 02885

Date: 07.05.2026

Ground Water - Secured Land Fill (SLF) Area: Continued.

Sl. No	Parameter	Unit	Standard as per IS:10500	GW4								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	7.14	7.18	7.15	7.11	7.16	7.12	7.1	7.2	7.1
6	Total Hardness (as CaCO ₃)	mg/l	200	88	86	82	79	84	82	79.00	88.00	83.50
7	Iron (as Fe)	mg/l	1	0.34	0.32	0.36	0.32	0.34	0.36	0.3	0.4	0.3
8	Chloride (as Cl)	mg/l	250	30	28	27.5	25	26	30	25.0	30.0	27.8
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	314	309	312	308	312	315	308.0	315.0	311.7
11	Calcium (as Ca)	mg/l	75	35.4	34.8	34.2	33.5	34.1	34.4	33.500	35.400	34.400
12	Copper (as Cu)	mg/l	0.05	0.038	0.035	0.032	0.03	0.034	0.035	0.0300	0.0380	0.0340
13	Manganese (as Mn)	mg/l	0.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
14	Sulphate as (SO ₄)	mg/l	200	15.9	15.1	14.5	14.1	14.5	14.2	14.10	15.90	14.72
15	Nitrate (as NO ₃)	mg/l	45	1.22	1.28	1.2	1.15	1.22	1.27	1.15	1.28	1.22
16	Fluoride (as F)	mg/l	1	0.33	0.31	0.29	0.27	0.3	0.32	0.2700	0.3300	0.3033
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.33	0.31	0.27	0.26	0.25	0.28	0.25	0.33	0.28
26	Chromium as (Cr ^{VI})	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
28	Alkalinity	mg/l	200	45	50	55	50	55	50	45.0	55.0	50.8
29	Aluminium as Al	mg/l	0.03	0.025	0.026	0.025	0.027	0.025	0.022	0.022	0.027	0.025
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Sampling Location: GW4 - Secured landfill Bore well (South)





Ref: Envlab/26-27/TR-02886

Date: 07.05.2026

g) Ground Water - Ash Pond Area : Kurebaga Ash Pond

Sl. No	Parameter	Unit	Standard as per IS:10500	GW1								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	7.15	7.12	7.1	7.15	7.12	7.22	7.10	7.22	7.14
6	Total Hardness (as CaCO ₃)	mg/l	200	140	136	128	122	130	134	122.0	140.0	131.7
7	Iron (as Fe)	mg/l	1	0.32	0.35	0.32	0.35	0.32	0.33	0.32	0.35	0.33
8	Chloride (as Cl)	mg/l	250	33	35	32.5	30	25	27	25.0	35.0	30.3
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	318	310	302	314	307	318	302.0	318.0	311.5
11	Calcium (as Ca)	mg/l	75	34.8	33.6	32.9	33.2	32.6	33.4	32.6	34.8	33.4
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	0.040	0.042	0.039	0.043	0.045	0.046	0.039	0.046	0.043
14	Sulphate as (SO ₄)	mg/l	200	16.2	15.9	16.4	15.7	16.2	16.2	15.7	16.4	16.1
15	Nitrate (as NO ₃)	mg/l	45	2.6	2.5	2.2	2.4	2.5	2.1	2.1	2.6	2.4
16	Fluoride (as F)	mg/l	1	0.28	0.25	0.28	0.32	0.34	0.33	0.3	0.3	0.3
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.26	0.28	0.26	0.29	0.26	0.26	0.3	0.3	0.3
26	Chromium as (Cr ⁶⁺)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
28	Alkalinity	mg/l	200	32	30	35	30	35	35	30.0	35.0	32.8
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Sampling Locations: Kurebaga Ash Pond GW1 - Bore well (East)





Ref: Envlab/26-27/TR-02887

Date: 07.05.2026

Ground Water - Ash Pond Area: Kurebaga Ash Pond Continued.

Sl. No	Parameter	Unit	Standard as per IS:10500	GW2								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	6.9	6.96	6.91	6.98	6.95	6.87	6.87	6.98	6.93
6	Total Hardness (as CaCO ₃)	mg/l	200	156	155	160	156	161	160	155.0	161.0	158.0
7	Iron (as Fe)	mg/l	1	0.3	0.27	0.25	0.26	0.28	0.27	0.25	0.30	0.27
8	Chloride (as Cl)	mg/l	250	30	34	35	37.5	35	33	30.0	37.5	34.1
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	310	302	296	290	299	298	290.0	310.0	299.2
11	Calcium (as Ca)	mg/l	75	31.2	30.9	28.9	27.6	28.8	29.5	27.6	31.2	29.5
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	0.042	0.045	0.042	0.045	0.04	0.045	0.040	0.045	0.043
14	Sulphate as (SO ₄)	mg/l	200	16.9	16.0	15.8	16.3	16.8	16.8	15.8	16.9	16.4
15	Nitrate (as NO ₃)	mg/l	45	2.2	2.0	2.3	2.5	2.3	2.0	2.0	2.5	2.2
16	Fluoride (as F)	mg/l	1	0.35	0.31	0.33	0.35	0.38	0.32	0.3	0.4	0.3
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.33	0.30	0.31	0.33	0.35	0.3	0.3	0.4	0.3
26	Chromium as (Cr ^{VI})	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
28	Alkalinity	mg/l	200	40	35	40	45	40	40	35.0	45.0	40.0
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Sampling Locations: Kurebaga Ash Pond GW2 - Bore well (West)





Ref: Envlab/26-27/TR-02888

Date: 07.05.2026

Ground Water - Ash Pond Area: Kurebaga Ash Pond Continued

Sl. No	Parameter	Unit	Standard as per IS:10500	GW3								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	7.24	7.22	7.18	7.22	7.25	7.25	7.18	7.25	7.23
6	Total Hardness (as CaCO ₃)	mg/l	200	169	168	176	184	170	171	168.0	184.0	173.0
7	Iron (as Fe)	mg/l	1	0.35	0.36	0.33	0.36	0.35	0.34	0.33	0.36	0.35
8	Chloride (as Cl)	mg/l	250	45	40	45	42.5	45	43	40.0	45.0	43.3
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	344	340	331	329	335	333	329.0	344.0	335.3
11	Calcium (as Ca)	mg/l	75	35.6	34.8	33.6	34.2	34.9	35.2	33.6	35.6	34.7
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	0.045	0.048	0.045	0.048	0.046	0.048	0.045	0.048	0.047
14	Sulphate as (SO ₄)	mg/l	200	19.8	20.8	21.4	22	21.5	21.3	19.8	22.0	21.1
15	Nitrate (as NO ₃)	mg/l	45	3.5	3.1	3.2	3	3.2	3.5	3.0	3.5	3.3
16	Fluoride (as F)	mg/l	1	0.37	0.34	0.35	0.39	0.41	0.36	0.3	0.4	0.4
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.4	0.36	0.33	0.35	0.38	0.32	0.3	0.4	0.4
26	Chromium as (Cr ⁺⁶)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
28	Alkalinity	mg/l	200	45	48	45	50	55	55	45.0	55.0	49.7
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Sampling location: Kurebaga Ash Pond GW3 - Bore well (North)





Ref: Envlab/26-27/TR-02889

Date: 07.05.2026

Ground Water - Ash Pond Area: Kurebaga Ash Pond Continued

Sl. No	Parameter	Unit	Standard as per IS:10500	GW4								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	7.12	7.10	7.15	7.12	7.1	7.2	7.10	7.20	7.13
6	Total Hardness (as CaCO ₃)	mg/l	200	152	150	154	160	156	166	150.0	166.0	156.3
7	Iron (as Fe)	mg/l	1	0.35	0.32	0.3	0.33	0.31	0.29	0.29	0.35	0.32
8	Chloride (as Cl)	mg/l	250	38	36	35	30	35	34	30.0	37.5	34.6
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	302	309	315	323	328	316	302.0	328.0	315.5
11	Calcium (as Ca)	mg/l	75	35.5	33.6	32.5	32	31.6	33.8	31.6	35.5	33.2
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	0.04	0.044	0.04	0.044	0.042	0.046	0.040	0.046	0.043
14	Sulphate as (SO ₄)	mg/l	200	18	18.4	18.8	19.6	20.2	20.5	18.0	20.5	19.3
15	Nitrate (as NO ₃)	mg/l	45	3.0	2.8	2.5	2.9	2.80	2.7	2.5	3.0	2.8
16	Fluoride (as F)	mg/l	1	0.30	0.33	0.32	0.38	0.36	0.35	0.3	0.4	0.3
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.34	0.32	0.3	0.27	0.25	0.26	0.3	0.3	0.3
26	Chromium as (Cr ^{VI})	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
28	Alkalinity	mg/l	200	40	45	42	45	40	45	40.0	45.0	42.8
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Sampling location: Kurebaga Ash Pond GW4 - Bore well (South)





Ref: Envlab/26-27/TR-02890

Date: 07.05.2026

Ground Water - Ash Pond Area: Katikela Ash Pond

Sl. No	Parameter	Unit	Standard as per IS:10500	GW1								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	6.70	6.77	6.82	6.89	6.92	6.87	6.70	6.92	6.83
6	Total Hardness (as CaCO ₃)	mg/l	200	90	94	90	95	92	90	90.0	95.0	91.8
7	Iron (as Fe)	mg/l	1	0.31	0.33	0.35	0.33	0.35	0.34	0.31	0.35	0.34
8	Chloride (as Cl)	mg/l	250	35	40	37.5	30	35	32.5	30.0	40.0	35.0
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	277	281	269	278	283	277	269.0	283.0	277.5
11	Calcium (as Ca)	mg/l	75	35.6	34.4	33.6	33.9	34.5	33.6	33.6	35.6	34.3
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	0.038	0.035	0.033	0.037	0.039	0.033	0.033	0.039	0.036
14	Sulphate as (SO ₄)	mg/l	200	14.2	13.6	14.1	13.7	14.4	14	13.6	14.4	14.0
15	Nitrate (as NO ₃)	mg/l	45	1.44	1.5	1.47	1.44	1.47	1.42	1.4	1.5	1.5
16	Fluoride (as F)	mg/l	1	0.31	0.30	0.33	0.36	0.33	0.35	0.3	0.4	0.3
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.31	0.32	0.34	0.39	0.33	0.3	0.3	0.4	0.3
26	Chromium as (Cr ⁺⁶)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
28	Alkalinity	mg/l	200	25	33	30	35	30	35	25.0	35.0	31.3
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	0.038	0.033	0.038	0.035	0.033	0.035	0.033	0.038	0.035

Sampling Locations: Katikela Ash Pond GW1 - Bore well (East)





Ref: Envlab/26-27/TR-02891

Date: 07.05.2026

Ground Water - Ash Pond Area: Katikela Ash Pond Continued

Sl. No	Parameter	Unit	Standard as per IS:10500	GW2								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	6.96	6.8	6.75	6.7	6.77	6.75	6.70	6.96	6.79
6	Total Hardness (as CaCO ₃)	mg/l	200	104	96	92	90	88	85	85.0	104.0	92.5
7	Iron (as Fe)	mg/l	1	0.34	0.32	0.3	0.36	0.32	0.3	0.30	0.36	0.32
8	Chloride (as Cl)	mg/l	250	43	38.5	35	37.5	40	35	35.0	42.5	38.1
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	311	305	311	305	312	307	305.0	312.0	308.5
11	Calcium (as Ca)	mg/l	75	42.0	40.8	41.2	40.8	40.1	41.2	40.1	42.0	41.0
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	0.039	0.036	0.038	0.040	0.042	0.045	0.036	0.045	0.040
14	Sulphate as (SO ₄)	mg/l	200	15.4	16	16.8	17.5	17	16.5	15.4	17.5	16.5
15	Nitrate (as NO ₃)	mg/l	45	1.78	1.81	1.77	1.82	1.9	1.86	1.8	1.9	1.8
16	Fluoride (as F)	mg/l	1	0.33	0.32	0.31	0.28	0.26	0.28	0.3	0.3	0.3
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.35	0.34	0.35	0.36	0.35	0.38	0.3	0.4	0.4
26	Chromium as (Cr ⁺⁶)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
28	Alkalinity	mg/l	200	40	35	36	35	40.0	37	35.0	40.0	37.2
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	0.026	0.03	0.033	0.039	0.036	0.038	0.026	0.039	0.034

Sampling Locations: Katikela Ash Pond GW2 - Bore well (West)

Reviewed By

Approved By



Ref: Envlab/26-27/TR-02892

Date: 07.05.2026

Ground Water - Ash Pond Area: Katikela Ash Pond Continued

Sl. No	Parameter	Unit	Standard as per IS:10500	GW3								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	7.13	7.22	7.18	7.21	7.16	7.2	7.13	7.22	7.18
6	Total Hardness (as CaCO ₃)	mg/l	200	135	122	115	121	118	122	115.0	135.0	122.2
7	Iron (as Fe)	mg/l	1	0.41	0.36	0.37	0.4	0.43	0.41	0.36	0.43	0.40
8	Chloride (as Cl)	mg/l	250	45	47.5	45	42	45	40	40.0	47.5	44.1
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	322	316	320	331	326	334	316.0	334.0	324.8
11	Calcium (as Ca)	mg/l	75	43.6	41.5	43.9	44.5	43.6	42.2	41.5	44.5	43.2
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	0.05	0.044	0.04	0.043	0.044	0.046	0.040	0.050	0.045
14	Sulphate as (SO ₄)	mg/l	200	16.6	17.1	18.9	18.4	18.8	19.6	16.6	19.6	18.2
15	Nitrate (as NO ₃)	mg/l	45	1.78	1.82	1.9	1.96	1.95	1.90	1.8	2.0	1.9
16	Fluoride (as F)	mg/l	1	0.35	0.38	0.35	0.38	0.38	0.36	0.4	0.4	0.4
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.41	0.43	0.42	0.44	0.45	0.42	0.4	0.5	0.4
26	Chromium as (Cr ⁺⁶)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
28	Alkalinity	mg/l	200	50	55	50	45	40	45	40.0	55.0	47.5
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	0.039	0.041	0.043	0.041	0.044	0.045	0.039	0.045	0.042

Sampling location: Katikela Ash Pond GW3 - Bore well (North)



Reviewed By



Approved By



Ref: Envlab/26-27/TR-02893

Date: 07.05.2026

Ground Water - Ash Pond Area: Katikela Ash Pond Continued

Sl. No	Parameter	Unit	Standard as per IS:10500	GW4								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	6.96	6.89	6.78	6.84	6.89	6.93	6.78	6.96	6.88
6	Total Hardness (as CaCO ₃)	mg/l	200	85	80	76	82	86	80	76.0	86.0	81.5
7	Iron (as Fe)	mg/l	1	0.36	0.35	0.34	0.38	0.39	0.37	0.34	0.39	0.37
8	Chloride (as Cl)	mg/l	250	38	35	30	35	38	35	30.0	37.5	35.0
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	290	288	275	284	278	285	275.0	290.0	283.3
11	Calcium (as Ca)	mg/l	75	40.9	40.6	42.5	43.1	42.9	41.8	40.6	43.1	42.0
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	0.040	0.035	0.030	0.036	0.035	0.039	0.030	0.040	0.036
14	Sulphate as (SO ₄)	mg/l	200	16.4	16.9	17.5	18.2	17.9	18.8	16.4	18.8	17.6
15	Nitrate (as NO ₃)	mg/l	45	1.63	1.70	1.65	1.7	1.81	1.78	1.6	1.8	1.7
16	Fluoride (as F)	mg/l	1	0.32	0.35	0.31	0.34	0.37	0.33	0.3	0.4	0.3
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.36	0.39	0.36	0.32	0.3	0.35	0.3	0.4	0.3
26	Chromium as (Cr ⁶⁺)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
28	Alkalinity	mg/l	200	45	40	45	40	45	40	40.0	45.0	42.5
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	0.024	0.025	0.028	0.026	0.030	0.028	0.024	0.030	0.026

Sampling location: Katikela Ash Pond GW4 - Bore well (South)





Ref: Envlab/26-27/TR-02894

Date: 07.05.2026

Ground Water - Ash Pond Area: Siriapali Ash Pond Continued

Sl. No	Parameter	Unit	Standard as per IS:10500	GW1								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	7.14	7.18	7.12	7.15	7.20	7.28	7.12	7.28	7.18
6	Total Hardness (as CaCO ₃)	mg/l	200	141	136	132	125	132	127	125.0	141.0	132.2
7	Iron (as Fe)	mg/l	1	0.34	0.32	0.35	0.33	0.31	0.33	0.31	0.35	0.33
8	Chloride (as Cl)	mg/l	250	32.5	33.1	32.6	31.9	32.8	33.4	31.9	33.4	32.7
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	236	230	221	210	218	224	210.0	236.0	223.2
11	Calcium (as Ca)	mg/l	75	32.2	31.8	32.2	31.8	32.2	31.8	31.8	32.2	32.0
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	0.033	0.035	0.032	0.036	0.038	0.033	0.032	0.038	0.035
14	Sulphate as (SO ₄)	mg/l	200	18.4	17.9	17.2	19.8	19.4	18.6	17.2	19.8	18.6
15	Nitrate (as NO ₃)	mg/l	45	2.44	2.35	2.31	2.26	2.22	2.17	2.2	2.4	2.3
16	Fluoride (as F)	mg/l	1	0.32	0.30	0.34	0.32	0.35	0.33	0.3	0.4	0.3
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.28	0.25	0.22	0.25	0.22	0.24	0.2	0.3	0.2
26	Chromium as (Cr ⁶⁺)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
28	Alkalinity	mg/l	200	30	35	30	35	30	35	30.0	35.0	32.5
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Sampling Locations: Siriapali Ash Pond GW1 - Bore well (East)





Ref: Envlab/26-27/TR-02895

Date: 07.05.2026

Ground Water - Ash Pond Area: Siriapali Ash Pond Continued

Sl. No	Parameter	Unit	Standard as per IS:10500	GW2									
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg	
1	Colour	Hazen	5	<5	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	6.85	6.89	6.94	6.98	6.95	7	6.85	7.00	6.94	6.94
6	Total Hardness (as CaCO ₃)	mg/l	200	122	124	128	134	139	142	122.0	142.0	131.5	131.5
7	Iron (as Fe)	mg/l	1	0.26	0.28	0.29	0.33	0.35	0.34	0.26	0.35	0.31	0.31
8	Chloride (as Cl)	mg/l	250	30	30.6	29.8	29	29.6	28.8	28.8	30.6	29.6	29.6
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	222	220	226	229	236	245	220.0	245.0	229.7	229.7
11	Calcium (as Ca)	mg/l	75	31.6	30.6	29.8	29.2	29.7	28.6	28.6	31.6	29.9	29.9
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	0.035	0.038	0.036	0.035	0.032	0.030	0.030	0.038	0.034	0.034
14	Sulphate as (SO ₄)	mg/l	200	22	21.9	20.2	21.4	20.9	21.4	20.2	22.0	21.3	21.3
15	Nitrate (as NO ₃)	mg/l	45	2.50	2.41	2.38	2.30	2.38	2.25	2.3	2.5	2.4	2.4
16	Fluoride (as F)	mg/l	1	0.30	0.32	0.35	0.34	0.32	0.30	0.3	0.4	0.3	0.3
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.26	0.23	0.28	0.29	0.28	0.25	0.2	0.3	0.3	0.3
26	Chromium as (Cr ⁶⁺)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
28	Alkalinity	mg/l	200	35	38	35	40	35	30	30.0	40.0	35.5	35.5
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Sampling Locations: Siriapali Ash Pond GW2 - Bore well (West)





Ref: Envlab/26-27/TR-02896

Date: 07.05.2026

Ground Water - Ash Pond Area: Siriapali Ash Pond Continued

Sl. No	Parameter	Unit	Standard as per IS:10500	GW3								
				Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26	Max	Min	Avg
1	Colour	Hazen	5	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5.0
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Turbidity (NTU)	-	1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
5	pH Value	-	6.5-8.5	7.30	7.33	7.28	7.33	7.39	7.29	7.28	7.39	7.32
6	Total Hardness (as CaCO ₃)	mg/l	200	145	141	136	140	145	153	136.0	153.0	143.3
7	Iron (as Fe)	mg/l	1	0.35	0.36	0.38	0.35	0.37	0.35	0.35	0.38	0.36
8	Chloride (as Cl)	mg/l	250	45	44.3	45	43.8	42.9	41.8	41.8	45.0	43.8
9	Residual free Chlorine	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	Dissolved solids	mg/l	500	258	249	245	256	260	266	245.0	266.0	255.7
11	Calcium (as Ca)	mg/l	75	33.5	32.5	32.8	32.3	33.9	34.5	32.3	34.5	33.3
12	Copper (as Cu)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
13	Manganese (as Mn)	mg/l	0.1	0.040	0.039	0.04	0.042	0.045	0.042	0.039	0.045	0.041
14	Sulphate as (SO ₄)	mg/l	200	23.3	22.8	23.5	24.2	24.5	24.8	22.8	24.8	23.9
15	Nitrate (as NO ₃)	mg/l	45	2.61	2.56	2.4	2.44	2.53	2.46	2.4	2.6	2.5
16	Fluoride (as F)	mg/l	1	0.35	0.33	0.36	0.35	0.38	0.34	0.3	0.4	0.4
17	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
18	Anionic Detergent (as MBAS)	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	Mercury (as Hg)	mg/l	0.001	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
20	Cadmium (as Cd)	mg/l	0.003	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
21	Selenium (as Se)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
22	Arsenic (as As)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
23	Cyanide (as CN)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24	Lead (as Pb)	mg/l	0.01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
25	Zinc (as Zn)	mg/l	5	0.30	0.31	0.32	0.31	0.33	0.30	0.3	0.3	0.3
26	Chromium as (Cr ⁶⁺)	mg/l	0.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
27	Mineral oil	mg/l	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
28	Alkalinity	mg/l	200	38	42	40	45	40	45	38.0	45.0	41.7
29	Aluminium as Al	mg/l	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
30	Boron	mg/l	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Sampling Locations: Siriapali Ash Pond GW3 - Bore well (North)





Ref: Envlab/26-27/TR-02897

Date: 07.05.2026

7. Soil Quality:

Sl. No.	Parameters	S-1		S-4		S-6	
		Oct'25	Jan'26	Oct'25	Jan'26	Oct'25	Jan'26
1	Colour	Brown	Brown	Brown	Brown	Reddish	Reddish
2	Type of Soil	Neutral	Neutral	Neutral	Neutral	Neutral	Neutral
3	pH	6.44	6.51	6.95	6.88	6.81	6.85
4	Texture	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam
5	Infiltration Rate (cm/hr)	8.1	8.5	7.2	7.8	7.9	8.1
6	Bulk Density (gm/cc)	1.62	1.63	1.81	1.78	1.28	1.29
7	Porosity %	41.2	41.3	31.7	31.8	51.2	51.3
8	Moisture content %	11.2	10.8	10.5	10.1	8.5	8.1
9	Fluoride %	0.0045	0.0042	0.0077	0.0080	0.0088	0.009
10	Silica as SiO ₂ %	29.1	28.7	39.8	39.2	24.8	24.4
11	Chloride %	0.033	0.038	0.030	0.033	0.048	0.046
12	Sulphate %	0.48	0.46	0.61	0.63	0.24	0.26
13	Potassium as K%	0.033	0.035	0.045	0.042	0.038	0.036
14	Magnesium as Mg%	0.33	0.35	0.32	0.3	0.33	0.36
15	Calcium as Ca%	0.45	0.41	0.72	0.7	0.63	0.65
16	Manganese as Mn%	0.4	0.43	0.46	0.44	0.54	0.57
17	Iron as Fe%	0.61	0.63	0.55	0.59	0.89	0.91
18	Available Organic Carbon %	2.7	2.6	2.52	2.45	2.2	2.4
19	Available Nitrogen%	0.078	0.075	0.078	0.081	0.088	0.085

Sampling locations: S-1: Gudigaon Village

S-4: Katapali Village

S-6: Bhurkamunda Village





Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Ref: Envlab/26-27/TR- 02898

Date: 07.05.2026

Soil Quality: Continued.

Sl. No.	Parameters	S-2					
		Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26
1	Colour	Brown	Brown	Brown	Brown	Brown	Brown
2	Type of Soil	Neutral	Neutral	Neutral	Neutral	Neutral	Neutral
3	pH	7.11	7.25	7.22	7.00	7.12	7.15
4	Texture	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam
5	Infiltration Rate (cm/hr)	7.8	6.5	6.4	8.1	6.6	6.9
6	Bulk Density (gm/cc)	1.88	1.58	1.59	1.60	1.56	1.48
7	Porosity %	40.1	41.5	41.2	40.2	41.4	41.9
8	Moisture content %	11.5	7.5	7.2	11.1	6.9	6.6
9	Fluoride %	0.0036	0.0043	0.0045	0.0039	0.0048	0.0046
10	Silica as SiO ₂ %	33.6	36.9	36.2	34.1	35.9	35
11	Chloride %	0.038	0.044	0.045	0.040	0.042	0.044
12	Sulphate %	0.46	0.46	0.44	0.45	0.48	0.46
13	Potassium as K%	0.048	0.05	0.053	0.042	0.055	0.052
14	Magnesium as Mg%	0.26	0.44	0.42	0.28	0.45	0.42
15	Calcium as Ca%	0.48	0.58	0.56	0.45	0.54	0.55
16	Manganese as Mn%	0.38	0.42	0.45	0.35	0.42	0.4
17	Iron as Fe%	0.54	0.54	0.51	0.58	0.48	0.45
18	Available Organic Carbon %	2.42	2.20	2.15	2.38	2.21	2.15
19	Available Nitrogen%	0.082	0.09	0.093	0.08	0.095	0.098

Sampling locations: S-2: Kurebaga Village



Samanyuta Page 4



Ref: Envlab/26-27/TR- 02899

Date: 07.05.2026

Soil Quality: Continued.

Sl. No.	Parameters	S-3					
		Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26
1	Colour	Brown	Brown	Brown	Brown	Brown	Brown
2	Type of Soil	Neutral	Neutral	Neutral	Neutral	Neutral	Neutral
3	pH	7.08	7.14	7.15	7.13	7.23	7.28
4	Texture	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam
5	Infiltration Rate (cm/hr)	7.5	6.6	6.8	7.9	6.9	7.1
6	Bulk Density (gm/cc)	1.71	1.44	1.45	1.72	1.42	1.36
7	Porosity %	39.4	41.5	41.4	39.6	41.5	42
8	Moisture content %	9.6	8.6	8.1	9.2	7.7	7.2
9	Fluoride %	0.0045	0.0048	0.0046	0.0048	0.0043	0.0045
10	Silica as SiO ₂ %	36.8	37.2	36.8	37.2	37.4	36.9
11	Chloride %	0.035	0.049	0.052	0.037	0.056	0.059
12	Sulphate %	0.54	0.5	0.51	0.50	0.5	0.52
13	Potassium as K%	0.051	0.043	0.048	0.050	0.046	0.048
14	Magnesium as Mg%	0.3	0.31	0.33	0.32	0.36	0.33
15	Calcium as Ca%	0.56	0.63	0.6	0.52	0.62	0.6
16	Manganese as Mn%	0.42	0.45	0.42	0.40	0.41	0.44
17	Iron as Fe%	0.66	0.59	0.58	0.62	0.59	0.54
18	Available Organic Carbon%	1.69	1.96	1.8	1.74	1.91	1.84
19	Available Nitrogen%	0.075	0.085	0.082	0.078	0.088	0.09

Sampling locations: S-3: Siriapali Village





Ref: Envlab/26-27/TR-02900

Date: 07.05.2026

Soil Quality: Continued.

Sl. No.	Parameters	S-5					
		Oct'25	Nov'25	Dec'25	Jan'26	Feb'26	Mar'26
1	Colour	Brown	Brown	Brown	Brown	Brown	Brown
2	Type of Soil	Neutral	Neutral	Neutral	Neutral	Neutral	Neutral
3	pH	6.88	6.90	6.93	6.94	6.88	6.93
4	Texture	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam
5	Infiltration Rate (cm/hr)	7.4	7.0	7.1	8	7	7.8
6	Bulk Density (gm/cc)	1.63	1.53	1.55	1.6	1.53	1.5
7	Porosity %	42.2	44.9	44.6	41.8	44.2	43.8
8	Moisture content %	10.9	8.1	7.8	10.2	7.5	7
9	Fluoride %	0.0042	0.0051	0.0054	0.0045	0.0052	0.0055
10	Silica as SiO ₂ %	34.0	37.4	37.8	34.5	38.1	37.8
11	Chloride %	0.041	0.035	0.038	0.044	0.033	0.035
12	Sulphate %	0.43	0.44	0.46	0.42	0.49	0.48
13	Potassium as K%	0.048	0.042	0.045	0.051	0.048	0.045
14	Magnesium as Mg%	0.25	0.35	0.36	0.22	0.35	0.32
15	Calcium as Ca%	0.66	0.51	0.54	0.63	0.55	0.52
16	Manganese as Mn%	0.52	0.41	0.38	0.51	0.33	0.3
17	Iron as Fe%	0.61	0.65	0.62	0.63	0.65	0.62
18	Available Organic Carbon %	1.90	2.3	2.1	1.86	2.14	2.2
19	Available Nitrogen%	0.081	0.079	0.076	0.084	0.079	0.076

Sampling locations: S-5: Katikela Village



Sensitive - Public - CA



Ref: Envlab/26-27/TR- 02901

Date: 07.05.2026

Soil Quality: Continued.

Sl. No.	Parameters	S-7		S-8	
		Oct'25	Jan'26	Oct'25	Jan'26
1	Colour	Reddish	Reddish	Brown	Brown
2	Type of Soil	Neutral	Neutral	Neutral	Neutral
3	pH	7.15	7.22	7.2	7.24
4	Texture	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam
5	Infiltration Rate (cm/hr)	8.2	8.3	6.8	6.9
6	Bulk Density (gm/cc)	1.38	1.4	1.40	1.39
7	Porosity %	48.6	48.7	40.4	40.2
8	Moisture content %	8.4	8	7.2	6.9
9	Fluoride %	0.0065	0.0068	0.0054	0.0055
10	Silica as SiO ₂ %	24.0	24.5	26.1	26.6
11	Chloride %	0.036	0.039	0.04	0.044
12	Sulphate %	0.38	0.35	0.42	0.4
13	Potassium as K%	0.026	0.028	0.045	0.044
14	Magnesium as Mg%	0.28	0.29	0.31	0.32
15	Calcium as Ca%	0.56	0.52	0.60	0.63
16	Manganese as Mn%	0.58	0.55	0.63	0.6
17	Iron as Fe%	0.92	0.88	0.90	0.93
18	Available Organic Carbon %	3.2	3	4.6	4.5
19	Available Nitrogen%	0.094	0.09	0.086	0.088

Sampling locations: S-7: R&R Colony

S-8: Tumbakela Village





Ref: Envlab/26-27/TR- 02902

Date: 07.05.2026

Soil Quality: Continued.

Sl. No.	Parameters	S-9		S-10	
		Oct'25	Jan'26	Oct'25	Jan'26
1	Colour	Brown	Brown	Brown	Brown
2	Type of Soil	Neutral	Neutral	Neutral	Neutral
3	pH	6.93	6.9	6.84	6.87
4	Texture	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam
5	Infiltration Rate (cm/hr)	8.3	8.5	9	9.2
6	Bulk Density (gm/cc)	1.65	1.66	1.51	1.5
7	Porosity %	35.4	35.5	39.6	39.4
8	Moisture content %	8.0	7.7	9.6	9.2
9	Fluoride %	0.0073	0.0078	0.0086	0.0088
10		31.2	30.8	30.2	30.5
11	Chloride %	0.056	0.055	0.061	0.063
12	Sulphate %	0.33	0.36	0.43	0.45
13	Potassium as K%	0.067	0.062	0.064	0.065
14	Magnesium as Mg%	0.33	0.3	0.25	0.28
15	Calcium as Ca%	0.57	0.55	0.66	0.62
16	Manganese as Mn%	0.46	0.45	0.62	0.64
17	Iron as Fe%	0.84	0.86	0.88	0.92
18	Available Organic Carbon %	4.1	4	4.0	3.8
19	Available Nitrogen%	0.092	0.096	0.091	0.095

Sampling locations: S-9: Brundamal Village

S-10: Sripura Village

